



LESSO AMERICA, INC.

Headquarter
LESSO AMERICA INC.
1010 Railroad Street Corona, CA 92882
Main: (951) 547-6888
Toll Free: (888) 988-8839
Fax: (951) 547-6886

LESSO Texas Warehouse
3102 Miller Park South Suite #300 Garland, TX 75042
Main: (972) 272-1888
Warehouse: (972) 272-0113
Fax: (972) 494-7064

www.lessoamerica.com
LESSO Michigan Warehouse
2075 W Beecher, Adrian MI 49221
Main: (517) 662-3230
Secondary: (517) 662-3235
Fax: (517) 662-3233

LESSO Florida Warehouse
CROSSROAD DISTRIBUTION CENTER
1091 Gills Drive, Building C, Suite #100,
Orlando, Florida 32824
Main: (407) 852-9100


* This catalog has been prepared as a support guide. Under no circumstance shall LESSO America assume any liability or responsibility with the information in this catalog. Every effort has been made by LESSO America to provide accurate and up to date information.

LESSO AMERICA, INC.
**PIPES & FITTINGS
CATALOG**



CONTENTS

- 01-02 **LESSO GROUP PROFILE**
- 03-04 **LESSO AMERICA, INC. COMPANY PROFILE**
- 05-06 PVC SCH40 Conduit / PVC SCH80 Conduit
- 07-23 PVC Schedule 40 PIPES & FITTINGS
- 24-27 PVC UVR Sch40 Fittings
- 28-36 PVC Schedule 80 PIPES & FITTINGS
- 37-53 PVC DWV Fittings
- 54-59 PVC SDR 35 Sewer Fittings
- 60-65 PVC SDR35 Gasketed Sewer Fittings
- 66-70 CPVC CTS FITTINGS
- 71-83 ABS DWV Fittings
- 84-86 Valve Series
- 87-90 American Certifications
- 91 Limited Warranty
- 92 Terms and Conditions of Sale



**GUARANTEED QUALITY,
TRUSTWORTHY CHOICE**



GROUP PROFILE



LESSO Research Institute & Testing Center LESSO College Training Apartment

ABOUT LESSO GROUP

Established in 1986, LESSO (Stock Code: 02128.HK) is a global leader in home furnishings and building materials. The Group's business portfolio spans plastic piping, building materials and home furnishings, environmental protection, new energy, supply-chain service platforms and others. It offers a wide range of products such as pipes, photovoltaics, plumbing and sanitary ware, integral kitchen materials, integral doors and windows, aluminum formwork and smart scaffolds, water purifiers, water-proofing materials and sealants, fire-fighting equipment, valves, cables, lighting, hygiene materials, items for environmental protection, agricultural facilities, and oceanic aquaculture cages. In 2023, LESSO's sales revenue reached over USD 4.38 billion.

Since implementing a strategy of globalization and expanding its global presence, LESSO has evolved into a sophisticated multinational. It boasts more than 30 advanced production bases worldwide, broadening its industrial and sales networks to cover Asia, North America, South America, Europe, Africa, and Oceania. This enables LESSO to provide quality products and services for global customers in accordance with its continuously improved strategic layout in a timely and efficient way.


LESSO has founded its R&D center with more than 1,000 scientific researchers, nationally accredited enterprise technology center, and two post-doctoral workstations to support its innovation and technical development. The Group has taken a leading role in the revision of over 120 international and Chinese industry standards. LESSO owns over 3000 patents (some of them are pending), and provides over 10,000 varieties of products, making it one of the most comprehensive manufacturers in the piping industry. Its products are utilized globally in different areas, including home decoration, civil construction, municipal water supply, drainage, energy management, power supply and telecommunications, gas supply, fire-fighting, environmental protection, agriculture, oceanic aquaculture, etc.

True to its idea of "Envisioning the Better, Building the Future", LESSO remains committed to creating a better living environment, and advocating ideal cities featuring greenness, livability, and efficiency. With concerted efforts from various sectors, LESSO will fully play its role in sustaining healthy and beautiful space so that global residents could enjoy a comfortable life.

COMPANY PROFILE



LESSO AMERICA, INC.



Based in Corona, CA, LESSO America, Inc. is a wholly owned subsidiary of China Lesso Group Holdings Limited. LESSO America absorbed decades of field experience in the plumbing and irrigation field from its listed parent, a leading player in the field.

To sustain its flawless plastic injection-molded product line and sales network, Lesso America manufactures and delivers high-quality plastic fittings with the latest injection mold tools and technology through distribution centers from coast to coast. With 100% dedication and commitment, LESSO America is leveraging the inherited success of its mother company's model to provide an outstanding customer experience for our clients.

Quality

Lesso America's plastic fittings line is renowned worldwide for its superior quality, which complies with cNSFus, CSA and cUPC certifications, and exceeds the requirements of ASTM standards.

Independent Research And Development, Keep Step With The World




International Certifications



PVC SCH40 Conduit
PVC SCH80 Conduit

REFERENTIAL STANDARDS

UL 651 STANDARD FOR SAFETY Schedule 40,80,Type EB and A Rigid PVC Conduit and Fittings.



- © **Notes:**
- Length (FT): 10FT/20FT

• Pipe color: grey

PVC SCH40 Conduit/ PVC SCH80 Conduit



PVC SCH 40 Conduit	Part number	Size(in)	Wall Thickness in(mm)
	Bell End		
	LC011-005	1/2	0.109 (2.77)
	LC011-007	3/4	0.113 (2.87)
	LC011-010	1	0.133 (3.38)
	LC011-012	1-1/4	0.140 (3.56)
	LC011-015	1-1/2	0.145 (3.68)
	LC011-020	2	0.154 (3.91)
	LC011-025	2-1/2	0.203 (5.16)
	LC011-030	3	0.216 (5.49)
	LC011-035	3-1/2	0.226 (5.74)
	LC011-040	4	0.237 (6.02)
	LC011-060	6	0.280 (7.11)

PVC SCH 80 Conduit	Part number	Size(in)	Wall Thickness in(mm)
	Bell End		
	LC021-005	1/2	0.147 (3.73)
	LC021-007	3/4	0.154 (3.91)
	LC021-010	1	0.179 (4.55)
	LC021-012	1-1/4	0.191 (4.85)
	LC021-015	1-1/2	0.200 (5.08)
	LC021-020	2	0.218 (5.54)
	LC021-025	2-1/2	0.276 (7.01)
	LC021-030	3	0.300 (7.62)
	LC021-035	3-1/2	0.318 (8.08)
	LC021-040	4	0.337 (8.56)
	LC021-060	6	0.432 (10.97)

PVC SCH40 Solid Wall


REFERENTIAL STANDARDS

- NSF/ANSI 61 Drinking Water System Components - Health Effects.
- NSF/ANSI 14 Plastics Piping System Components and Related Materials.
- ASTM D 1784 Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds.
- ASTM D 1785 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120.



PVC SCH40 Solid Wall



PVC SCH 40 Solid Wall	Part number		Size(in)	Wall Thickness in(mm)	ressure Ratings at 73°F(23°C) PSI(MPa)
	Plain End	Bell End			
 (Plain End) (Bell End)	031-005	041-005	1/2	0.109 (2.77)	600 (4.14)
	031-007	041-007	3/4	0.113 (2.87)	480 (3.31)
	031-010	041-010	1	0.133 (3.38)	450 (3.10)
	031-012	041-012	1-1/4	0.140 (3.56)	370 (2.55)
	031-015	041-015	1-1/2	0.145 (3.68)	330 (2.28)
	031-020	041-020	2	0.154 (3.91)	280 (1.93)
	031-025	041-025	2-1/2	0.203 (5.16)	300 (2.07)
	031-030	041-030	3	0.216 (5.49)	260 (1.79)
	031-040	041-040	4	0.237 (6.02)	220 (1.52)
	031-060	041-060	6	0.280 (7.11)	180 (1.24)
	031-080	041-080	8	0.322 (8.18)	160 (1.10)
	031-100	041-100	10	0.365 (9.27)	140 (0.97)
	031-120	041-120	12	0.406 (10.31)	130 (0.90)

- © **Notes:**
- Length (FT): 10FT/20FT
 - Pipe color: white

PVC Schedule 40 Fittings

QUALITY

LESSO America's plastic fittings line is renowned worldwide for its superior quality, which complies with cNSFus and cUPC certifications, and meets the requirements of ASTM standards and CSA standards.

REFERENTIAL STANDARDS

- NSF/ANSI 61 Drinking Water System Components - Health Effects
- NSF/ANSI 14 Plastics Piping System Components and Related Materials
- ASTM D 1784 Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds
- ASTM D 2466 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40
- CSA B137.3 Rigid Polyvinylchloride (PVC) Pipe and Fittings for Pressure Applications



COLUMN HEADER INFORMATION

Each product column header label identifies the following product particulars:

Part Number: the number used to order the part. PN ending with B represents it with a UPC barcode.

Size: nominal diameter of pipe with which the fitting is to be used.


NOTE: Fittings may be same size (only one size designation) or reducing (multiple sizes designated).

Standard Pack (Std Pk) the quantity of parts packaged in an individual box or bag.

Master Carton (Mstr Ctn) the total quantity of parts contained in individual boxes or bags which are packaged together.

METHODS OF DESIGNATING INLETS OF FITTINGS


PVC SCHEDULE 40 FITTINGS



PVC SCHEDULE 40 FITTINGS



REDUCING TEE (SOC×SOC×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
401-053	3/8x3/8x1/2	50	400
401-074	1/2x1/2x3/4	50	200
401-075	1/2x1/2x1	50	200
401-094	3/4x1/2x1/2	50	200
401-095	3/4x1/2x3/4	50	300
401-101	3/4x3/4x1/2	50	200
401-102	3/4x3/4x1	50	200
401-122	1x1/2x1	50	200
401-124	1x3/4x1/2	50	300
401-125	1x3/4x3/4	50	200
401-126	1x3/4x1	50	200
401-130	1x1x1/2	50	200
401-131	1x1x3/4	50	200
401-132	1x1x1-1/4	25	150
401-133	1x1x1-1/2	25	100
401-134	1x1x2	25	100
401-156	1-1/4x1x1/2	25	150
401-157	1-1/4x1x3/4	25	150
401-158	1-1/4x1x1	25	150
401-166	1-1/4x1-1/4x1/2	25	150
401-167	1-1/4x1-1/4x3/4	25	100
401-168	1-1/4x1-1/4x1	25	100
401-169	1-1/4x1-1/4x1-1/2	25	100
401-199	1-1/2x1-1/4x1/2	25	150
401-201	1-1/2x1-1/4x3/4	25	150
401-202	1-1/2x1-1/4x1	25	100
401-203	1-1/2x1-1/4x1-1/4	25	100
401-209	1-1/2x1-1/2x1/2	25	100
401-210	1-1/2x1-1/2x3/4	25	100
401-211	1-1/2x1-1/2x1	25	100
401-212	1-1/2x1-1/2x1-1/4	25	100
401-213	1-1/2x1-1/2x2	10	60
401-233	2x1x2	10	40
401-238	2x1-1/2x3/4	10	40
401-239	2x1-1/2x1	10	60

Part Number	Size (in)	Std PK	Mstr Ctn
401-241	2x1-1/2x1-1/2	10	60
401-247	2x2x1/2	10	40
401-248	2x2x3/4	10	40
401-249	2x2x1	10	60
401-250	2x2x1-1/4	10	60
401-251	2x2x1-1/2	10	40
401-287	2-1/2x2-1/2x1/2	10	40
401-288	2-1/2x2-1/2x3/4	10	40
401-289	2-1/2x2-1/2x1	10	40
401-290	2-1/2x2-1/2x1-1/4	10	40
401-291	2-1/2x2-1/2x1-1/2	10	40
401-292	2-1/2x2-1/2x2	8	32
401-333	3x3x1/2	8	32
401-334	3x3x3/4	10	0
401-335	3x3x1	10	0
401-336	3x3x1-1/4	8	32
401-337	3x3x1-1/2	15	0
401-338	3x3x2	6	24
401-339	3x3x2-1/2	10	0
401-416	4x4x3/4	6	24
401-417	4x4x1	6	24
401-418	4x4x1-1/4	10	0
401-419	4x4x1-1/2	10	0
401-420	4x4x2	10	0
401-422	4x4x3	6	0
401-486	5x5x2	5	0
401-488	5x5x3	8	0
401-490	5x5x4	6	0
401-528	6x6x2	6	0
401-530	6x6x3	5	0
401-532	6x6x4	5	0
401-582	8x8x4	8	0
401-585	8x8x6	5	0

PVC SCHEDULE 40 FITTINGS



TEE (SOC×SOC×SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
401-003	3/8	50	400
401-005	1/2	50	300
401-007	3/4	50	300
401-010	1	50	200
401-012	1-1/4	25	100
401-015	1-1/2	25	100
401-020	2	25	0
401-025	2-1/2	10	0
401-030	3	10	0
401-040	4	6	0
401-050	5	5	0
401-060	6	2	0
401-080	8	5	0

TEE (SOC×SOC×FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
402-005	1/ 2	50	300
402-007	3/4	50	300
402-010	1	50	200
402-012	1-1/4	25	100
402-015	1-1/2	25	100
402-020	2	10	60
402-025	2- 1/2	15	0
402-030	3	10	0
402-040	4	6	0

REDUCING TEE (SOC×SOC× FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
402-071	1/2x1/2x1/8	50	200
402-072	1/2x1/2x1/4	50	400
402-074	1/2x1/2x3/4	50	200
402-094	3/4x1/2x1/2	50	200
402-095	3/4x1/2x3/4	50	300
402-101	3/4x3/4x1/2	50	200
402-124	1x3/4x1/2	50	300
402-125	1x3/4x3/4	40	240
402-130	1x1x1/2	50	200
402-131	1x1x3/4	50	200
402-156	1-1/4x1x1/2	25	100
402-157	1-1/4x1x3/4	25	150
402-158	1-1/4x1x1	25	150
402-166	1-1/4x1-1/4x1/2	25	150
402-167	1-1/4x1-1/4x3/4	25	150
402-168	1-1/4x1-1/4x1	25	150
402-199	1-1/2x1-1/4x1/2	25	150
402-201	1-1/2x1-1/4x3/4	25	150
402-202	1-1/2x1-1/4x1	25	150
402-209	1-1/2x1-1/2x1/2	25	150
402-210	1-1/2x1-1/2x3/4	25	100
402-211	1-1/2x1-1/2x1	25	100
402-212	1-1/2x1-1/2x1-1/4	25	100
402-239	2x1-1/2x1	10	40
402-247	2x2x1/2	10	40
402-248	2x2x3/4	10	60
402-249	2x2x1	10	40
402-250	2x2x1-1/4	10	60
402-251	2x2x1-1/2	10	60
402-287	2-1/2x2-1/2x1/2	10	40
402-288	2-1/2x2-1/2x3/4	10	40
402-289	2-1/2x2-1/2x1	10	40
402-290	2-1/2x2-1/2x1-1/4	10	40
402-291	2-1/2x2-1/2x1-1/2	10	40
402-292	2-1/2x2-1/2x2	8	32
402-333	3x3x1/2	8	32
402-334	3x3x3/4	8	32
402-335	3x3x1	8	32
402-336	3x3x1-1/4	8	32
402-337	3x3x1-1/2	10	0
402-338	3x3x2	6	24
402-416	4x4x3/4	6	24
402-417	4x4x1	6	24
402-418	4x4x1-1/4	10	0
402-419	4x4x1-1/2	10	0
402-420	4x4x2	10	0
402-422	4x4x3	6	0
402-490	5x5x4	6	0
402-525	6x6x1	6	0
402-528	6x6x2	4	0
402-530	6x6x3	4	0
402-532	6x6x4	2	0

PVC SCHEDULE 40 FITTINGS



TEE (SOC×FIPT ×SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
403-005	1/2	50	300
403-007	3/4	50	300

90° STREET ELL (SPIG×FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
404-005	1/ 2	50	400
404-007	3/4	50	300

TEE (FIPT×FIPT×FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
405-005	1/ 2	50	300
405-007	3/4	50	200
405-010	1	50	200
405-012	1-1/4	25	150
405-015	1-1/2	25	100
405-020	2	10	60

90° ELL (SOC×SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
406-003	3/8	50	600
406-005	1/2	50	400
406-007	3/4	50	200
406-010	1	50	300
406-012	1-1/4	25	150
406-015	1-1/2	25	100
406-020	2	20	80
406-025	2-1/2	10	40
406-030	3	10	0
406-040	4	8	0
406-050	5	4	0
406-060	6	3	0
406-080	8	4	0

90° SWEEP ELL (SOC×SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
406-015S	1-1/2	25	100
406-020S	2	15	60
406-025S	2-1/2	15	0
406-030S	3	25	0

90° REDUCING ELL (SOC×SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
406-053	3/8x1/2	50	400
406-101	3/4x1/2	50	300
406-130	1x1/2	50	300
406-131	1x3/4	50	300
406-166	1-1/4x1/2	25	150
406-167	1-1/4x3/4	25	150
406-168	1-1/4x1	25	150
406-209	1-1/2x1/2	25	100
406-211	1-1/2x1	25	100
406-212	1-1/2x1-1/4	25	100
406-249	2x1	10	40
406-250	2x1-1/4	10	40
406-251	2x1-1/2	10	40
406-292	2-1/2x2	10	40


90° ELL (SOC×FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
407-005	1/ 2	50	400
407-007	3/4	50	200
407-010	1	50	300
407-012	1-1/4	25	150
407-015	1-1/2	25	100
407-020	2	10	40
407-025	2-1/2	9	36
407-030	3	6	24
407-040	4	7	0

PVC SCHEDULE 40 FITTINGS




90° REDUCING ELL (SOC×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
407-053	3/8x1/2	50	400
407-074	1/2x3/4	50	300
407-101	3/4x1/2	50	300
407-130	1x1/2	50	200
407-131	1x3/4	50	300
407-168	1-1/4x1	25	100
407-211	1-1/2x1	25	100
407-212	1-1/2x1-1/4	15	60
407-249	2x1	10	40
407-250	2x1-1/4	10	40
407-251	2x1-1/2	10	40

90° STREET ELL (MIPT×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
410-005	1/ 2	50	400
410-007	3/4	50	200
410-010	1	50	300
410-012	1-1/4	25	100
410-015	1-1/2	25	100
410-020	2	10	40

90° ELL (FIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
408-005	1/ 2	50	400
408-007	3/4	50	300
408-010	1	50	300
408-012	1-1/4	25	150
408-015	1-1/2	35	140
408-020	2	10	60

90° REDUCING STREET ELL (MIPT×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
410-101	3/4x1/2	50	300
410-102	3/4x1	50	200

90° STREET ELL (SPIG×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
409-005	1/ 2	50	400
409-007	3/4	50	200
409-010	1	50	300
409-012	1-1/4	25	150
409-015	1-1/2	25	100
409-020	2	10	60
409-025	2-1/2	10	40
409-030	3	15	0
409-040	4	10	0
409-060	6	5	0

11-1/4°ELL(SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
411-100	10	4	0
411-120	12	2	0

PVC SCHEDULE 40 FITTINGS




90° STREET ELL (MIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
412-005	1/ 2	50	400
412-007	3/4	50	300
412-010	1	50	300
412-012	1-1/4	25	100
412-015	1-1/2	25	150
412-020	2	10	40

22-1/2° ELL (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
416-015	1-1/ 2	20	80
416-020	2	20	120
416-025	2-1/2	10	60
416-030	3	20	0
416-040	4	12	0
416-060	6	4	0
416-100	10	4	0

SIDE OUTLET ELL (SOC×SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
413-005	1/ 2	50	300
413-007	3/4	50	300
413-010	1	25	150
413-015	1-1/2	10	60
413-020	2	10	40

45° ELL (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
417-005	1/ 2	50	400
417-007	3/4	50	200
417-010	1	50	300
417-012	1-1/4	25	150
417-015	1-1/2	25	100
417-020	2	25	100
417-025	2-1/2	10	40
417-030	3	15	0
417-040	4	4	16
417-050	5	10	0
417-060	6	5	0
417-080	8	6	0
417-100	10	4	0

SIDE OUTLET ELL (SOC×SOC×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
414-005	1/ 2	50	300
414-007	3/4	50	300
414-101	3/4x3/4x1/2	50	200
414-010	1	20	80
414-130	1x1x1/2	50	200

DEEP SOCKET 45°ELL (SOC×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
417-020DS	2	20	80
417-025DS	2-1/2		
417-030DS	3	25	0

CROSS (SOC×SOC×SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
420-005	1/ 2	50	200
420-007	3/4	50	200
420-010	1	25	100
420-012	1-1/4	50	0
420-015	1-1/2	25	0
420-020	2	8	32
420-025	2-1/2	10	0
420-030	3	6	0
420-040	4	6	0
420-060	6	2	0

PVC SCHEDULE 40 FITTINGS




REDUCING CROSS (SOC×SOC×SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
420-101	3/4x3/4x1/2x1/2	50	300
420-249	2x2x1x1	10	40
420-251	2x2x1-1/2x1-1/2	10	40
420-335	3x3x1x1	18	0
420-337	3x3x1-1/2x1-1/2	15	0
420-338	3x3x2x2	12	0
420-419	4x4x1-1/2x1-1/2	8	0
420-420	4x4x2x2	6	0
420-422	4x4x3x3	5	0
420-528	6x6x2x2	3	0
420-532	6x6x4x4	2	0

45° STREET ELL (SPIG×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
427-005	1/ 2	50	600
427-007	3/4	50	200
427-010	1	50	200
427-012	1-1/4	25	100
427-015	1-1/2	25	150
427-020	2	25	100
427-025	2-1/2	10	40
427-030	3	5	30
427-040	4	20	0
427-060	6	8	0
427-080	8	6	0
427-100	10	4	0

COUPLING (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
429-003	3/8	50	600
429-005	1/ 2	50	600
429-007	3/4	100	400
429-010	1	50	200
429-012	1-1/4	25	150
429-015	1-1/2	25	100
429-020	2	25	100
429-025	2-1/2	12	72
429-030	3	10	40
429-040	4	6	24
429-050	5	15	0
429-060	6	6	0
429-080	8	8	0
429-100	10	8	0
429-120	12	2	0

REDUCING COUPLING (SOC×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
429-101	3/4x1/2	50	400
429-130	1x1/2	25	300
429-131	1x3/4	50	300
429-166	1-1/4x1/2	25	150
429-167	1-1/4x3/4	25	150
429-168	1-1/4x1	25	150
429-209	1-1/2x1/2	25	150
429-210	1-1/2x3/4	25	150
429-211	1-1/2x1	25	100
429-212	1-1/2x1-1/4	25	100
429-247	2x1/2	10	80
429-248	2x3/4	10	80
429-249	2x1	25	150
429-250	2x1-1/4	10	80
429-251	2x1-1/2	10	80
429-291	2-1/2x1-1/2	10	40
429-292	2-1/2x2	10	40
429-338	3x2	8	32
429-340	3x2-1/2	8	32
429-420	4x2	4	16
429-421	4x2-1/2	6	24
429-422	4x3	4	16
429-528	6x2	10	0
429-530	6x3	15	0
429-532	6x4	5	0
429-582	8x4	12	0
429-585	8x6	12	0
429-626	10x6	8	0
429-628	10x8	8	0
429-668	12x8	3	0
429-670	12x10	3	0

ECCENTRIC REDUCER COUPLING (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
429-168E	1-1/4x1	25	150
429-212E	1-1/2x1-1/4	25	100
429-251E	2x1-1/2	10	80
429-292E	2-1/2x2	10	60
429-338E	3x2	9	36
429-420E	4x2	15	0
429-421E	4x2-1/2	6	24
429-422E	4x3	12	0
429-528E	6x2	3	0
429-530E	6x3	3	0
429-532E	6x4	5	0

PVC SCHEDULE 40 FITTINGS




COUPLING (FIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
430-005	1/ 2	50	600
430-007	3/4	50	400
430-010	1	50	200
430-012	1-1/4	10	120
430-020	2	10	80

REDUCING COUPLING (FIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
430-101	3/4x1/2	50	400
430-131	1x3/4	50	300

RISER EXTENSION (FIPT×MIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
434-005	1/ 2	50	600
434-007	3/4	50	400

FEMALE ADAPTER (SOC×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
435-003	3/8	100	1200
435-005	1/ 2	50	600
435-007	3/4	50	400
435-010	1	50	200
435-012	1-1/4	25	100
435-015	1-1/2	25	100
435-020	2	10	80
435-025	2-1/2	10	40
435-030	3	10	40
435-040	4	6	36

REDUCING FEMALE ADAPTER (SOC×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
435-072	1/2x1/4	50	600
435-073	1/2x3/8	50	600
435-074	1/2x3/4	100	600
435-101	3/4x1/2	50	400
435-102	3/4x1	25	200
435-130	1x1/2	50	200
435-131	1x3/4	50	200
435-133	1x1-1/2	25	150
435-168	1-1/4x1	25	100

MALE ADAPTER (MIPT×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
436-003	3/8	50	600
436-005	1/ 2	50	600
436-007	3/4	50	400
436-010	1	50	200
436-012	1-1/4	25	150
436-015	1-1/2	25	100
436-020	2	25	100
436-025	2-1/2	10	40
436-030	3	10	60
436-040	4	4	16
436-060	6	6	0

REDUCING MALE ADAPTER (MIPT×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
436-053	3/8x1/2	50	600
436-073	1/2x3/8	50	600
436-074	1/2x3/4	50	400
436-075	1/2x1	40	240
436-101	3/4x1/2	50	600
436-102	3/4x1	50	300
436-131	1x3/4	50	400
436-132	1x1-1/4	50	300
436-133	1x1-1/2	50	300
436-168	1-1/4x1	25	200
436-169	1-1/4x1-1/2	25	150
436-212	1-1/2x1-1/4	25	100
436-213	1-1/2x2	25	100
436-251	2x1-1/2	10	80
436-252	2x2-1/2	10	40
436-253	2x3	10	60
436-342	3x4	5	30

PVC SCHEDULE 40 FITTINGS




REDUCING BUSHING FLUSH STYLE (SPIG×SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
437-072	1/2x1/4	50	600
437-073	1/2x3/8	50	600
437-101	3/4x1/2	50	600
437-130	1x1/2	50	400
437-131	1x3/4	50	400
437-166	1-1/4x1/2	25	300
437-167	1-1/4x3/4	25	300
437-168	1-1/4x1	25	300
437-209	1-1/2x1/2	25	150
437-210	1-1/2x3/4	25	150
437-211	1-1/2x1	25	150
437-212	1-1/2x1-1/4	25	150
437-247	2x1/2	10	80
437-248	2x3/4	10	60
437-249	2x1	10	80
437-250	2x1-1/4	10	80
437-251	2x1-1/2	10	80
437-287	2-1/2x1/2	10	60
437-288	2-1/2x3/4	10	60
437-289	2-1/2x1	10	60
437-290	2-1/2x1-1/4	10	60
437-291	2-1/2x1-1/2	10	60
437-292	2-1/2x2	10	60
437-334	3x3/4	10	40
437-335	3x1	10	40
437-336	3x1-1/4	10	40
437-337	3x1-1/2	10	40
437-338	3x2	10	40
437-339	3x2-1/2	15	90
437-420	4x2	6	24
437-421	4x2-1/2	6	24
437-422	4x3	6	24
437-488	5x3	15	0
437-490	5x4	15	0
437-528	6x2	9	0
437-530	6x3	9	0
437-532	6x4	9	0
437-534	6x5	20	0
437-582	8x4	3	0
437-585	8x6	3	0
437-623	10x3	12	0
437-624	10x4	12	0
437-626	10x6	12	0
437-628	10x8	16	0
437-663	12x3	4	0
437-664	12x4	4	0
437-666	12x6	4	0
437-668	12x8	4	0
437-670	12x10	4	0



REDUCING BUSHING FLUSH STYLE (SPIG×FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
438-052	3/8x1/4	50	600
438-071	1/2x1/8	50	600
438-072	1/2x1/4	50	600
438-073	1/2x3/8	50	600
438-098	3/4x1/4	50	600
438-101	3/4x1/2	100	800
438-128	1x1/4	50	400
438-129	1x3/8	50	400
438-130	1x1/2	50	400
438-131	1x3/4	50	400
438-166	1-1/4x1/2	25	200
438-167	1-1/4x3/4	25	200
438-168	1-1/4x1	25	100
438-207	1-1/2x1/4	25	200
438-209	1-1/2x1/2	25	150
438-210	1-1/2x3/4	25	100
438-211	1-1/2x1	25	150
438-212	1-1/2x1-1/4	25	150
438-245	2x1/4	10	120
438-247	2x1/2	10	120
438-248	2x3/4	10	120
438-249	2x1	10	120
438-250	2x1-1/4	10	120
438-251	2x1-1/2	10	120
438-288	2-1/2x3/4	10	60
438-289	2-1/2x1	10	60
438-290	2-1/2x1-1/4	10	60
438-291	2-1/2x1-1/2	10	60
438-292	2-1/2x2	10	60
438-335	3x1	10	40
438-336	3x1-1/4	10	40
438-337	3x1-1/2	10	40
438-338	3x2	10	40
438-339	3x2-1/2	10	40
438-420	4x2	6	24
438-421	4x2-1/2	6	24
438-422	4x3	6	24
438-490	5x4	6	24
438-528	6x2	9	0
438-530	6x3	9	0
438-532	6x4	9	0




PVC SCHEDULE 40 FITTINGS




REDUCING T.T. BUSHING FLUSH STYLE (MIPT×FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
439-052	3/8x1/4	50	600
439-072	1/2x1/4	150	1800
439-073	1/2x3/8	50	600
439-098	3/4x1/4	50	600
439-099	3/4x3/8	50	600
439-101	3/4x1/2	50	600
439-128	1x1/4	25	300
439-130	1x1/2	50	600
439-131	1x3/4	50	600
439-166	1-1/4x1/2	25	300
439-167	1-1/4x3/4	25	300
439-168	1-1/4x1	25	300
439-198	1-1/2x2	40	240
439-209	1-1/2x1/2	25	200
439-210	1-1/2x3/4	25	200
439-211	1-1/2x1	25	200
439-212	1-1/2x1-1/4	25	200
439-248	2x3/4	10	120
439-249	2x1	10	120
439-250	2x1-1/4	10	120
439-251	2x1-1/2	10	120
439-292	2-1/2x2	10	60
439-338	3x2	10	60
439-422	4x3	6	24




STREET TEE (SPIG×SOC×SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
444-005	1/ 2	25	200
444-007	3/4	15	120
444-010	1	15	90
444-012	1-1/4	10	40
444-015	1-1/2	10	40
444-020	2	10	40




CAP (SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
447-003	3/8	100	1200
447-005	1/ 2	100	1200
447-007	3/4	50	600
447-010	1	50	300
447-012	1-1/4	25	150
447-015	1-1/2	25	150
447-020	2	10	80
447-025	2-1/2	10	60
447-030	3	10	40
447-040	4	6	24
447-050	5	6	24
447-060	6	8	0
447-080	8	12	0
447-100	10	12	0
447-120	12	6	0




22-1/2° STREET ELL(SPIG×SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
442-005	1/2	50	600
442-007	3/4	50	300
442-010	1	50	200
442-012	1-1/4	25	100
442-015	1-1/2	30	120
442-020	2	20	80
442-025	2-1/2	10	60
442-030	3	5	30
442-040	4	4	16
442-060	6	5	0



CAP (FIPT)


Part Number	Size (in)	Std PK	Mstr Ctn
448-003	3/8	100	1200
448-005	1/ 2	100	1200
448-007	3/4	50	600
448-010	1	50	400
448-012	1-1/4	25	200
448-015	1-1/2	25	150
448-020	2	10	120
448-025	2-1/2	10	60
448-030	3	10	40
448-040	4	6	36
448-060	6	13	0



PVC SCHEDULE 40 FITTINGS




PLUG (SPIG)




Part Number	Size (in)	Std PK	Mstr Ctn
449-003	3/8	150	1800
449-005	1/ 2	100	1200
449-007	3/4	50	600
449-010	1	50	400
449-012	1-1/4	25	200
449-015	1-1/2	25	150
449-020	2	10	120
449-025	2-1/2	10	60
449-030	3	10	40
449-040	4	6	24
449-060	6	8	0

PLUG (MIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
450-003	3/8	100	1200
450-005	1/2	150	1800
450-007	3/4	100	1200
450-010	1	50	400
450-012	1-1/4	25	300
450-015	1-1/2	25	200
450-020	2	10	120
450-025	2-1/2	10	60
450-030	3	10	40
450-040	4	6	24
450-060	6	4	16

MALE ADAPTER (TAKE OFF) (SPIG×MIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
461-005	1/ 2	50	600
461-007	3/4	50	400
461-010	1	50	300
461-015	1-1/2	25	100
461-020	2	25	100

SNAP-ON SADDLE (IPS O.D.×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
464-007	3/4	25	200
464-101	3/4x1/2	50	200
464-130	1x1/2	25	150
464-131	1x3/4		
Non-Pressure Rated NSF Not Available			

VENTURIED TEE (SOC×SOC(SPIG)×SOC(SPIG))




Part Number	Size (in)	Std PK	Mstr Ctn
473-210	1-1/2x1-1/2(2)x3/4(1)	30	120
473-825	1x3/4(1)x3/4(1)	40	240

INSERT ADAPTER (INSERT×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
474-007	3/4	50	400
474-010	1	25	200
474-015	1-1/2	25	100
474-020	2	20	80
ASTM D 2609 ASTM D 2466 NSF Not Available			

WYE (SOC×SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
475-005	1/ 2	25	150
475-007	3/4	20	80
475-010	1	20	120
475-012	1-1/4	20	80
475-015	1-1/2	15	60
475-020	2	10	40
475-025	2-1/2	3	12
475-030	3	6	0
475-040	4	5	0
475-060	6	2	0
Pressure Rating 1/2" - 2" 235psi @73°F(23°C) 2-1/2" - 6" 150psi @73°F(23°C)			

PVC SCHEDULE 40 FITTINGS




REDUCING WYE (SOC×SOC×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
475-101	3/4x3/4x1/2	20	120
475-131	1x1x3/4	20	80
475-210	1-1/2x1-1/2x3/4	20	80
475-211	1-1/2x1-1/2x1	20	80
475-2121	1-1/2x1-1/2x1-1/4	15	60
475-251	2x2x1-1/2	10	40
475-292	2-1/2x2-1/2x2	4	24
475-338	3x3x2	10	0
475-339	3x3x2-1/2	8	0
475-420	4x4x2	5	0
475-422	4x4x3	5	0
475-528	6x6x2	5	0
475-530	6x6x3	5	0
475-532	6x6x4	3	0


Pressure Rating
1/2" - 2" 235psi @73°F(23°C)
2-1/2" - 6" 150psi @73°F(23°C)

SPIGOT FEMALE ADAPTER (SPIG X FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
478-005	1/ 2	50	600
478-007	3/4	25	300
478-010	1	40	240
478-012	1-1/4	30	120
478-015	1-1/2	30	120
478-020	2	25	100

DEEP SOCKET COUPLING (SOC×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
479-005	1/2	50	400
479-007	3/4	50	300
479-010	1	50	300
479-012	1-1/4	50	200
479-015	1-1/2	30	120
479-020	2	60	0
479-025	2-1/2	25	0
479-030	3	20	0
479-040	4	10	0
479-060	6	5	0


UNION W/O-RING SEAL (SOC×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
497-005	1/ 2	20	240
497-007	3/4	10	120
497-010	1	10	80
497-012	1-1/4	8	64
497-015	1-1/2	10	40
497-020	2	5	30

Pressure Rating 150psi @73°F(23°C)


UNION W/O-RING SEAL (FIPT×FIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
498-005	1/ 2	20	240
498-007	3/4	10	120
498-010	1	10	80
498-012	1-1/4	8	64
498-015	1-1/2	15	60
498-020	2	5	30

Pressure Rating 150psi @73°F(23°C)

COMPRESSION COUPLING(GASKET×GASKET)



Part Number	Size (in)	Std PK	Mstr Ctn
IR90-05	1/ 2	30	120
IR90-07	3/4	30	180
IR90-10	1	10	40
IR90-12	1-1/4	15	60
IR90-15	1-1/2	10	40
IR90-20	2	6	24
IR90-25	2-1/2	15	0
IR90-30	3	7	0
IR90-40	4	10	0
IR90-60	6	3	0

Pressure Rating 200psi @73°F(23°C)

COLUMN HEADER INFORMATION

Each product column header label identifies the following product particulars:

Part Number: the number used to order the part. PN ending with B represents it with a UPC barcode.

Size: nominal diameter of pipe with which the fitting is to be used.


NOTE: Fittings may be same size (only one size designation) or reducing (multiple sizes designated).

Standard Pack (Std Pk) the quantity of parts packaged in an individual box or bag.

Master Carton (Mstr Ctn) the total quantity of parts contained in individual boxes or bags which are packaged together.

METHODS OF DESIGNATING INLETS OF FITTINGS

PVC UVR SCHEDULE 40 FITTINGS



PVC UVR SCH40 FITTINGS




TEE (SOC×SOC×SOC)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	UV401-005	1/ 2	50	300
	UV401-007	3/4	50	300
	UV401-010	1	50	200
	UV401-012	1-1/4	25	100
	UV401-015	1-1/2	25	100
	UV401-020	2	25	0
	UV401-025	2-1/2	10	0
	UV401-030	3	10	0
	UV401-040	4	6	0
90° ELL (SOC×SOC)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	UV406-005	1/ 2	50	400
	UV406-007	3/4	50	200
	UV406-010	1	50	300
	UV406-012	1-1/4	25	150
	UV406-015	1-1/2	25	100
	UV406-020	2	20	80
	UV406-025	2-1/2	10	40
	UV406-030	3	10	0
	UV406-040	4	8	0
TEE (SOC×SOC×FIPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	UV402-005	1/ 2	50	300
	UV402-007	3/4	50	300
	UV402-010	1	50	200
90° ELL (SOC×FIPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	UV407-005	1/ 2	50	400
	UV407-007	3/4	50	200
REDUCING TEE (SOC×SOC× FIPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	UV402-101	3/4x3/4x1/2	50	200
	UV402-130	1x1x1/2	50	200
	UV402-131	1x1x3/4	50	200
	UV402-166	1-1/4x1-1/4x1/2	25	150
	UV402-167	1-1/4x1-1/4x3/4	25	150
	UV402-209	1-1/2x1-1/2x1/2	25	150
	UV402-210	1-1/2x1-1/2x3/4	25	100
	UV402-247	2x2x1/2	10	40
	UV402-248	2x2x3/4	10	60
90° REDUCING ELL (SOC×FIPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	UV407-101	3/4x1/2	50	300
	UV407-130	1x1/2	50	200
	UV407-131	1x3/4	50	300
45° ELL (SOC×SOC)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	UV417-005	1/ 2	50	400
	UV417-007	3/4	50	200
	UV417-010	1	50	300
	UV417-012	1-1/4	25	150
	UV417-015	1-1/2	25	100
	UV417-020	2	25	100
	UV417-025	2-1/2	10	40
	UV417-030	3	15	0
	UV417-040	4	4	16
90° ELL (FIPT×FIPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	UV408-005	1/ 2	50	400
	UV408-007	3/4	50	300
	UV408-010	1	50	300
	UV408-012	1-1/4	25	150
	UV408-015	1-1/2	35	140
	UV408-020	2	10	60
90° STREET ELL (MIPT×FIPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	UV412-005	1/ 2	50	400
	UV412-007	3/4	50	300

PVC UVR SCH40 FITTINGS




COUPLING (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
UV429-005	1/ 2	50	600
UV429-007	3/4	50	400
UV429-010	1	50	200
UV429-012	1-1/4	25	150
UV429-015	1-1/2	25	100
UV429-020	2	25	100
UV429-025	2-1/2	12	72
UV429-030	3	10	40
UV429-040	4	6	24

COUPLING (FIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
UV430-005	1/ 2	50	600
UV430-007	3/4	50	400

FEMALE ADAPTER (SOC×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
UV435-005	1/ 2	50	600
UV435-007	3/4	50	400

REDUCING MALE ADAPTER (MIPT×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
UV436-074	1/2x3/4	50	400
UV436-131	1x3/4	50	400

MALE ADAPTER (MIPT×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
UV436-005	1/ 2	50	600
UV436-007	3/4	50	400
UV436-010	1	50	200
UV436-012	1-1/4	25	150
UV436-015	1-1/2	25	100
UV436-020	2	25	100
UV436-025	2-1/2	10	40
UV436-030	3	10	60

REDUCING BUSHING FLUSH STYLE (SPIG×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
UV437-101	3/4x1/2	50	600
UV437-130	1x1/2	50	400
UV437-131	1x3/4	50	400
UV437-167	1-1/4x3/4	25	300
UV437-168	1-1/4x1	25	300
UV437-210	1-1/2x3/4	25	150
UV437-211	1-1/2x1	25	150
UV437-212	1-1/2x1-1/4	25	150
UV437-249	2x1	10	80
UV437-250	2x1-1/4	10	80
UV437-251	2x1-1/2	10	80
UV437-288	2-1/2x3/4	10	60
UV437-289	2-1/2x1	10	60
UV437-290	2-1/2x1-1/4	10	60
UV437-291	2-1/2x1-1/2	10	60
UV437-292	2-1/2x2	10	60
UV437-335	3x1	10	40
UV437-336	3x1-1/4	10	40
UV437-337	3x1-1/2	10	40
UV437-338	3x2	10	40
UV437-339	3x2-1/2	15	90
UV437-422	4x3	6	24

REDUCING BUSHING FLUSH STYLE (SPIG×FIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
UV438-101	3/4x1/2	100	800
UV438-130	1x1/2	50	400
UV438-131	1x3/4	50	400
UV438-168	1-1/4x1	25	100
UV438-211	1-1/2x1	25	150
UV438-288	2-1/2x3/4	10	60

Fitting Terms and Abbreviations:
ELL : Elbow
SOC : Solvent Weld Socket
SPIG : Spigot End (pipe O.D. size)
MIPT : Male Iron Pipe Thread
FIPT : Female Iron Pipe Thread

Note: part of item aren't listed in upc certification


PVC SCH80 Solid Wall

REFERENTIAL STANDARDS

NSF/ANSI 61 Drinking Water System Components - Health Effects.
NSF/ANSI 14 Plastics Piping System Components and Related Materials.
ASTM D 1784 Standard Specification for Rigid Poly(Vinyl Chloride) (PVC)
Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds.
ASTM D 1785 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120.





PVC SCH 80 Solid Wall	Part number		Size(in)	Wall Thickness in(mm)	Pressure Ratings at 73°F(23°C) PSI(MPa)
	Plain End	Bell End			
 (Plain End) (Bell End)	071-005	081-005	1/2	0.147 (3.73)	850 (5.86)
	071-007	081-007	3/4	0.154 (3.91)	690 (4.76)
	071-010	081-010	1	0.179 (4.55)	630 (4.34)
	071-012	081-012	1-1/4	0.191 (4.85)	520 (3.59)
	071-015	081-015	1-1/2	0.200 (5.08)	470 (3.24)
	071-020	081-020	2	0.218 (5.54)	400 (2.76)
	071-025	081-025	2-1/2	0.276 (7.01)	420 (2.90)
	071-030	081-030	3	0.300 (7.62)	370 (2.55)
	071-040	081-040	4	0.337 (8.56)	320 (2.21)
	071-060	081-060	6	0.432 (10.97)	280 (1.93)
	071-080	081-080	8	0.500 (12.70)	250 (1.72)
	071-100	081-100	10	0.593 (15.06)	230 (1.59)
	071-120	081-120	12	0.687 (17.45)	230 (1.59)

© Notes:

- Length (FT): 10FT/20FT
- Pipe color: dark gray

PVC Schedule 80 Fittings

QUALITY

LESSO America's plastic fittings line is renowned worldwide for its superior quality, which complies with cNSFus certifications, and the requirements of ASTM standards and CSA standards.

REFERENTIAL STANDARDS

- NSF/NASI 61 Drinking Water System Components-Health Effects
- NSF/NASI 14 Plastics Piping System Components and Related Materials
- ASTM D 1784 Standard Specification for Rigid Poly (Viny Chloride) (PVC) Compounds and Chlorinated Poly (Viny Chloride) (CPVC) Compounds
- ASTM D 2467 Standard Specification for Rigid Poly (Viny Chloride) (PVC) Plastic Pipe Fittings,Schedule 80
- ASTM F 1970 Standard Specification for Special Engineered Fittings, Appurtenances or Valves for use in Poly (Viny Chloride) (PVC) or Chlorinated Poly (Viny Chloride) (CPVC) Systems
- CSA B137.3 Rigid Polyvinylchloride (PVC) Pipe and Fittings for Pressure Applications.



COLUMN HEADER INFORMATION

Each product column header label identifies the following product particulars:

Part Number: the number used to order the part. PN ending with B represents it with a UPC barcode.

Size: nominal diameter of pipe with which the fitting is to be used.


NOTE: Fittings may be same size (only one size designation) or reducing (multiple sizes designated).

Standard Pack (Std Pk) the quantity of parts packaged in an individual box or bag.


Master Carton (Mstr Ctn) the total quantity of parts contained in individual boxes or bags which are packaged together.

METHODS OF DESIGNATING INLETS OF FITTINGS


PVC SCHEDULE 80 FITTINGS




TEE




90° Ell




Female Adapter




Male Adapter




Cap




Reducing Bushing
Flush Style



Reducing Bushing
Flush Style




Reducing T.T. Bushing
Flush Style





Floor Flange


PVC SCHEDULE 80 FITTINGS





TEE (SOC×SOC×SOC)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	801-002	1/4	50	600
	801-005	1/2	25	200
	801-007	3/4	15	120
	801-010	1	20	80
	801-012	1-1/4	10	40
	801-015	1-1/2	5	30
	801-020	2	5	20
	801-025	2-1/2	10	0
	801-030	3	5	0
	801-040	4	5	0
	801-060	6	2	0
	801-080	8	5	0

REDUCING TEE (SOC×SOC×FIPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	802-251	2x2x1-1/2	10	40
	802-291	2-1/2x2-1/2x1-1/2	10	40

REDUCING TEE (SOC×SOC×SOC)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	801-101	3/4x3/4x1/2	15	120
	801-130	1x1x1/2	15	90
	801-131	1x1x3/4	15	90
	801-168	1-1/4x1-1/4x1	15	60
	801-210	1-1/2x1-1/2x3/4		
	801-211	1-1/2x1-1/2x1		
	801-247	2x2x1/2	10	60
	801-248	2x2x3/4	10	60
	801-249	2x2x1	10	60
	801-250	2x2x1-1/4	10	40
	801-251	2x2x1-1/2	10	40
	801-290	2-1/2x2-1/2x1-1/4	10	40
	801-291	2-1/2x2-1/2x1-1/2	9	36
	801-292	2-1/2x2-1/2x2	36	0
	801-337	3x3x1-1/2	10	0
	801-338	3x3x2	10	0
	801-420	4x4x2	5	0
	801-422	4x4x3	5	0
	801-530	6x6x3	3	0
	801-532	6x6x4	4	0
	801-585	8x8x6	5	0

TEE (FIPT×FIPT×FIPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	805-002	1/4	50	600
	805-003	3/8	50	400
	805-005	1/2	20	240
	805-007	3/4	20	160
	805-010	1	15	90
	805-012	1-1/4	10	40
	805-015	1-1/2	10	40
	805-020	2	10	40
	805-025	2-1/2	5	20
	805-030	3	6	0
	805-040	4	5	0


TEE (SOC×SOC×FIPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	802-005	1/ 2	20	120
	802-007	3/4	20	120
	802-010	1	15	60
	802-015	1-1/2	10	40
	802-020	2	5	20

90° Ell (SOC×SOC)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	806-002	1/4	50	600
	806-003	3/8	20	240
	806-005	1/2	25	300
	806-007	3/4	20	160
	806-010	1	25	100
	806-012	1-1/4	10	60
	806-015	1-1/2	15	60
	806-020	2	8	32
	806-025	2-1/2	5	30
	806-030	3	5	20
	806-040	4	5	0
	806-060	6	4	0
	806-080	8	4	0

PVC SCHEDULE 80 FITTINGS




90° EII (SOC×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
807-005	1/ 2	20	240
807-007	3/4	25	200
807-010	1	25	100
807-012	1-1/4	10	60
807-015	1-1/2	10	40
807-020	2	15	60

45° EII (FIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
819-005	1/ 2	30	360
819-007	3/4	20	240
819-010	1	10	120
819-012	1-1/4	10	80
819-015	1-1/2	10	60
819-020	2	10	40
819-025	2-1/2	8	48
819-030	3	6	24
819-040	4	8	0

90° EII (FIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
808-002	1/4	50	600
808-003	3/8	50	600
808-005	1/ 2	20	240
808-007	3/4	25	200
808-010	1	15	90
808-012	1-1/4	10	60
808-015	1-1/2	10	40
808-020	2	10	60
808-025	2-1/2	6	36
808-030	3	5	20
808-040	4	20	0

Cross (SOC×SOC×SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
820-030	3	15	0
820-040	4	3	0

45° EII (SOC×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
817-002	1/4	50	600
817-003	3/8	25	300
817-005	1/2	30	360
817-007	3/4	20	240
817-010	1	20	120
817-012	1-1/4	15	90
817-015	1-1/2	10	60
817-020	2	10	40
817-025	2-1/2	60	0
817-030	3	16	0
817-040	4	9	0
817-060	6	2	0

COUPLING (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
829-002	1/4	50	600
829-005	1/2	35	420
829-007	3/4	25	300
829-010	1	25	150
829-012	1-1/4	10	80
829-015	1-1/2	10	80
829-020	2	10	60
829-025	2-1/2	10	60
829-030	3	25	0
829-040	4	12	0
829-060	6	4	0
829-080	8	6	0
829-100	10	8	0
829-120	12	1	0

PVC SCHEDULE 80 FITTINGS




REDUCING COUPLING (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
829-101	3/4x1/2	50	300
829-130	1x1/2	25	150
829-131	1x3/4	25	150
829-166	1-1/4x1/2	25	150
829-167	1-1/4x3/4	25	150
829-168	1-1/4x1	35	140
829-210	1-1/2x3/4	25	100
829-211	1-1/2x1	20	80
829-212	1-1/2x1-1/4	20	80
829-251	2x1-1/2	20	120
829-338	3x2	5	20
829-422	4x3	10	40
829-532	6x4	4	0
829-585	8x6	4	0

COUPLING (FIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
830-002	1/4	50	600
830-005	1/2	25	300
830-007	3/4	25	300
830-010	1	15	180
830-012	1-1/4	10	120
830-015	1-1/2	10	80
830-020	2	10	60
830-025	2-1/2	5	20
830-030	3	5	20
830-040	4	8	32

FEMALE ADAPTER (SOC×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
835-002	1/4	50	600
835-005	1/2	30	360
835-007	3/4	30	240
835-010	1	25	150
835-012	1-1/4	10	120
835-015	1-1/2	10	80
835-020	2	15	60
835-025	2-1/2	5	30
835-030	3	7	42
835-040	4	5	20

MALE ADAPTER (MIPT×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
836-005	1/ 2	25	300
836-007	3/4	25	300
836-010	1	20	160
836-012	1-1/4	10	120
836-015	1-1/2	10	60
836-020	2	10	60
836-025	2-1/2	6	36
836-030	3	8	48
836-040	4	4	16

REDUCING BUSHING FLUSH STYLE (SPIG×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
837-052	3/8x1/4	100	1200
837-072	1/2x1/4	100	1200
837-073	1/2x3/8	50	600
837-101	3/4x1/2	50	600
837-130	1x1/2	50	400
837-131	1x3/4	50	400
837-166	1-1/4x1/2	50	300
837-167	1-1/4x3/4	50	300
837-168	1-1/4x1	25	200
837-209	1-1/2x1/2	30	180
837-210	1-1/2x3/4	30	180
837-211	1-1/2x1	25	150
837-212	1-1/2x1-1/4	25	150
837-247	2x1/2	25	150
837-248	2x3/4	10	120
837-249	2x1	10	120
837-250	2x1-1/4	10	120
837-251	2x1-1/2	10	120
837-289	2-1/2x1	10	60
837-290	2-1/2x1-1/4	10	60
837-291	2-1/2x1-1/2	10	60
837-292	2-1/2x2	10	60
837-335	3x1	10	40
837-337	3x1-1/2	10	40
837-338	3x2	10	40
837-339	3x2-1/2	10	40
837-420	4x2	6	24
837-421	4x2-1/2	6	24
837-422	4x3"	6	24
837-528	6x2	9	0
837-530	6x3	6	0
837-532	6x4	9	0
837-585	8x6	16	0
837-626	10x6	16	0
837-628	10x8	16	0

PVC SCHEDULE 80 FITTINGS




REDUCING BUSHING FLUSH STYLE (SPIG×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
838-052	3/8x1/4	100	1200
838-072	1/2x1/4	100	1200
838-101	3/4x1/2	50	600
838-130	1x1/2	50	400
838-131	1x3/4	50	400
838-166	1-1/4x1/2	25	300
838-167	1-1/4x3/4	20	240
838-168	1-1/4x1	25	200
838-209	1-1/2x1/2	30	180
838-210	1-1/2x3/4	25	150
838-211	1-1/2x1	25	150
838-212	1-1/2x1-1/4	25	150
838-247	2x1/2	10	120
838-248	2x3/4	10	120
838-249	2x1	10	120
838-250	2x1-1/4	10	120
838-251	2x1-1/2	10	120
838-292	2-1/2x2	10	60
838-338	3x2	10	40
838-339	3x2-1/2	10	40
838-420	4x2	6	24
838-422	4x3	6	24
838-532	6x4	6	0

REDUCING T.T. BUSHING FLUSH STYLE (MIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
839-072	1/2x1/4	100	1200
839-073	1/2x3/8	100	1200
839-098	3/4x1/4	100	1200
839-099	3/4x3/8	100	1200
839-101	3/4x1/2	50	600
839-129	1x3/8	50	600
839-130	1x1/2	50	600
839-131	1x3/4	50	600
839-166	1-1/4x1/2	35	420
839-167	1-1/4x3/4	25	300
839-168	1-1/4x1	25	300
839-210	1-1/2x3/4	25	200
839-211	1-1/2x1	25	200
839-212	1-1/2x1-1/4	25	150
839-247	2x1/2	10	120
839-292	2-1/2x2	10	60

CAP (SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
847-002	1/4	100	1200
847-003	3/8	50	600
847-005	1/2	65	780
847-007	3/4	40	480
847-010	1	20	240
847-012	1-1/4	10	120
847-015	1-1/2	10	120
847-020	2	10	80
847-025	2-1/2	15	60
847-030	3	5	20
847-040	4	5	20
847-060	6	4	0
847-080	8	12	0

CAP (FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
848-002	1/4	100	1200
848-003	3/8	50	600
848-005	1/2	50	600
848-007	3/4	40	480
848-010	1	20	240
848-012	1-1/4	10	120
848-015	1-1/2	10	60
848-020	2	10	60
848-025	2-1/2	10	60
848-030	3	8	32
848-040	4	5	20

PLUG (SPIG)



Part Number	Size (in)	Std PK	Mstr Ctn
849-010	1	50	300
849-020	2	10	120

PLUG (MIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
850-002	1/4	100	1200
850-003	3/8	100	1200
850-005	1/2	150	1800
850-007	3/4	100	1200
850-010	1	50	600
850-012	1-1/4	30	360
850-015	1-1/2	10	120
850-020	2	10	120
850-025	2-1/2	10	60
850-030	3	10	60
850-040	4	8	32

PVC SCHEDULE 80 FITTINGS



FLANGE ONE PIECE (SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
851-025	2-1/2	15	0
851-030	3	12	0
Pressure Rating 150psi @73°F(23°C)			

FLOOR FLANGE (FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
852-005	1/2	20	120
852-007	3/4	25	150
852-010	1	15	60
852-012	1-1/4	15	60
Pressure Rating 150psi @73°F(23°C)			

BLIND FLANGE




Part Number	Size (in)	Std PK	Mstr Ctn
853-025	2-1/2	25	0
853-030	3	20	0
Pressure Rating 150psi @73°F(23°C)			

VANSTONE FLANGE




Part Number	Size (in)	Std PK	Mstr Ctn
854-005	1/2	35	140
854-007	3/4	25	100
854-010	1	20	80
854-012	1-1/4	15	60
854-030	3	13	0
854-040	4	6	0
854-060	6	6	0
854-080	8	6	0

WYE (SOC X SOC X SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
875-020	2	18	0
875-040	4	3	0
875-060	6	2	0
Pressure Rating: 2" 235psi @73°F(23°C) 4", 6" 150psi @73°F(23°C)			

REDUCING NIPPLE (MIPT×MIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
882-101	3/4x1/2	50	600


UNION W/O-RING SEAL (SOC×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
897-002	1/4	25	300
897-005	1/2	10	120
897-007	3/4	20	120
897-010	1	10	80
897-012	1-1/4	10	40
897-015	1-1/2	5	30
897-020	2	10	40
897-030	3	5	20

PVC Fittings rated as 235psi at 23°C


UNION W/O-RING SEAL (FIPT×FIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
898-005	1/2	20	160
898-007	3/4	20	120
898-010	1	10	80
898-012	1-1/4	10	60
898-015	1-1/2	10	40

PVC Fittings rated as 235psi at 23°C

UNION W/O-RING SEAL (SOC×FIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
899-005	1/2	20	160
899-007	3/4	20	120
899-010	1	10	80
899-012	1-1/4	15	60
899-015	1-1/2	10	40
899-020	2	5	30
Pressure Rating 235psi @73°F(23°C)			

PVC DWV Fittings

QUALITY

LESSO America's plastic fittings line is renowned worldwide for its superior quality, which complies with cNSFus and cUPC certifications, and meets the requirements of ASTM standards and CSA standards.

REFERENTIAL STANDARDS

NSF/ANSI 14 Plastics Piping System Components and Related Materials

NSF SE 7992 ABS and PVC DWV Fitting with Alternate Fitting Patterns

ASTM D 1784 Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds

ASTM D 2665 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings

CSA B 181.2 Polyvinylchloride (PVC) and Chlorinated Polyvinylchloride (CPVC) Drain, Waste, and Vent Pipe and Pipe Fittings



COLUMN HEADER INFORMATION

Each product column header label identifies the following product particulars:

Part Number: the number used to order the part. PN ending with B represents it with a UPC barcode.

Size: nominal diameter of pipe with which the fitting is to be used.


NOTE: Fittings may be same size (only one size designation) or reducing (multiple sizes designated).

Standard Pack (Std Pk) the quantity of parts packaged in an individual box or bag.


Master Carton (Mstr Ctn) the total quantity of parts contained in individual boxes or bags which are packaged together.

METHODS OF DESIGNATING INLETS OF FITTINGS

PVC SCHEDULE 40 FITTINGS



PVC DWV FITTINGS



PVC DWV FITTINGS



COUPLING (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP100-012	1-1/4	100	400
	LP100-015	1-1/2	100	400
	LP100-020	2	100	0
	LP100-030	3	60	0
	LP100-040	4	25	0
	LP100-060	6	5	0
	LP100-080	8	8	0
	LP100-100	10	8	0
	LP100-120	12	2	0

FEMALE ADAPTER (FPT×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP101-012	1-1/4	100	400
	LP101-015	1-1/2	100	400
	LP101-020	2	50	200
	LP101-030	3	35	0
	LP101-040	4	10	40
	LP101-060	6	10	0
	LP101-080	8	9	0

REDUCING FEMALE ADAPTER (H×FPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP101-212	1-1/2x1-1/4	100	400

TRAP ADAPTER-MALE (S×SLIP)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP103-012	1-1/4	60	240
	LP103-015	1-1/2	50	200
	LP103-020	2	25	150
	LP103-212	1-1/2x1-1/4	50	200

PIPE INCREASER-REDUCER (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP102-212	1-1/2x1-1/4	25	150
	LP102-251	2x1-1/2	25	100
	LP102-337	3x1-1/2	25	0
	LP102-338	3x2	20	80
	LP102-419	4x1-1/2	25	0
	LP102-420	4x2	10	40
	LP102-422	4x3	20	0
	LP102-532	6x4	6	0
	LP102-582	8x4	12	0
	LP102-585	8x6	12	0
	LP102-624	10x4	12	0
	LP102-626	10x6	12	0
	LP102-628	10x8	10	0
	LP102-668	12x8	2	0
	LP102-670	12x10	2	0

TRAP ADAPTER-MALE W/PLASTIC NUT (S×SLIP)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP103P-012	1-1/4	30	180
	LP103P-015	1-1/2	50	300
	LP103P-020	2	25	100
	LP103P-212	1-1/2x1-1/4	75	300

TRAP ADAPTER-MALE W/1-1/2 PLASTIC NUT & WASHER AND 1-1/2 x 1-1/4 WASHER (S×SLIP)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP103R-015	1-1/2	10	80

TRAP ADAPTER-MALE W/PLASTIC NUT & WASHER (S×SLIP)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP103X-012	1-1/4	30	180
	LP103X-015	1-1/2	50	300
	LP103X-020	2	40	240
	LP103X-212	1-1/2x1-1/4	50	300

PVC DWV FITTINGS

TRAP ADAPTER - FEMALE (H×SLIP)

Part Number	Size (in)	Std PK	Mstr Ctn
LP104-012	1-1/4	50	300
LP104-015	1-1/2	50	200
LP104-212	1-1/2x1-1/4	50	200
LP104-020	2	50	200

TRAP ADAPTER - FEMALE W/PLASTIC NUT (H×SLIP)

Part Number	Size (in)	Std PK	Mstr Ctn
LP104P-012	1-1/4	50	300
LP104P-015	1-1/2	50	300
LP104P-212	1-1/2x1-1/4	50	300
LP104P-020	2	50	200

TRAP ADAPTER-FEMALE W/1-1/2 PLASTIC NUT & WASHER AND 1-1/2x1-1/4 WASHER (H×SLIP)

Part Number	Size (in)	Std PK	Mstr Ctn
LP104R-015	1-1/2	50	200

TRAP ADAPTER-FEMALE W/PLASTIC NUT & WASHER (H×SLIP)

Part Number	Size (in)	Std PK	Mstr Ctn
LP104X-012	1-1/4	50	300
LP104X-015	1-1/2	50	200
LP104X-212	1-1/2x1-1/4	50	300
LP104X-020	2	50	200

FITTING CLEANOUT ADAPTER (S×FPT)

Part Number	Size (in)	Std PK	Mstr Ctn
LP105-012	1-1/4	35	210
LP105-015	1-1/2	50	200
LP105-020	2	50	200
LP105-030	3	20	80
LP105-040	4	10	40
LP105-060	6	10	0

FITTING CLEANOUT ADAPTER W/ C.O. PLUG (S×FPT)

Part Number	Size (in)	Std PK	Mstr Ctn
LP105X-012	1-1/4	50	200
LP105X-015	1-1/2	50	200
LP105X-020	2	50	200
LP105X-030	3	20	80
LP105X-040	4	10	40
LP105X-060	6	6	0

CLEANOUT PLUG (MPT)

Part Number	Size (in)	Std PK	Mstr Ctn
LP106-012	1-1/4	50	600
LP106-015	1-1/2	50	300
LP106-020	2	50	200
LP106-030	3	25	150
LP106-040	4	30	120
LP106-060	6	10	40
LP106-080	8	5	20

CLEANOUT PLUG W/GASKET (MPT)

Part Number	Size (in)	Std PK	Mstr Ctn
LP106R-015	1-1/2	100	600
LP106R-020	2	50	200
LP106R-030	3	25	150
LP106R-040	4	25	100
LP106R-060	6	10	40

FLUSH BUSHING (S×H)

Part Number	Size (in)	Std PK	Mstr Ctn
LP107-212	1-1/2x1-1/4	100	400
LP107-250	2x1-1/4	50	200
LP107-251	2x1-1/2	50	200
LP107-337	3x1-1/2	30	120
LP107-338	3x2	30	120
LP107-420	4x2	30	0
LP107-422	4x3	30	0
LP107-530	6x3	10	0
LP107-532	6x4	10	0
LP107-582	8x4	3	0
LP107-585	8x6	3	0
LP107-626	10x6	12	0
LP107-628	10x8	9	0
LP107-666	12x6	4	0
LP107-668	12x8	4	0
LP107-670	12x10	4	0

PVC DWV FITTINGS

REDUCER BUSHING
(DISHWASHER BUSHING) (S×FPT)

Part Number	Size (in)	Std PK	Mstr Ctn
LP108-209	1-1/2x1/2	50	300
LP108-210	1-1/2x3/4	50	300
LP108-212	1-1/2x1-1/4	50	400
LP108-251	2x1-1/2	50	200
LP108-337	3x1-1/2	10	60
LP108-338	3x2	10	60
LP108-628	10x8	12	0
LP108-668	12x8	4	0

MALE ADAPTER (MPT×H)

Part Number	Size (in)	Std PK	Mstr Ctn
LP109-012	1-1/4	50	200
LP109-015	1-1/2	50	300
LP109-020	2	50	200
LP109-030	3	25	0
LP109-040	4	25	0
LP109-060	6	7	0
LP109-169	1-1/4x1-1/2	25	150

FLUSH C. O. PLUG (MPT)

Part Number	Size (in)	Std PK	Mstr Ctn
LP110-020	2	50	400
LP110-030	3	25	150
LP110-040	4	25	150

PLUG SLIP (S)

Part Number	Size (in)	Std PK	Mstr Ctn
LP110S-015	1-1/2	25	300
LP110S-020	2	50	200

TRAP ADAPTER CAP (FPT)

Part Number	Size (in)	Std PK	Mstr Ctn
LP112-012	1-1/4	60	360
LP112-015	1-1/2	80	480
LP112-020	2	50	300

TRAP ADAPTER CAP B (FPT)

Part Number	Size (in)	Std PK	Mstr Ctn
LP113-012	1-1/4	60	360
LP113-015	1-1/2	100	600

TRAP ADAPTER Gasket

Part Number	Size (in)	Std PK	Mstr Ctn
LP113R-012	1-1/4	60	360
LP113R-015	1-1/2	100	600


TRAP ADAPTER CAP W/GASKET


Part Number	Size (in)	Std PK	Mstr Ctn
LP114-012	1-1/4	50	200
LP114-015	1-1/2	50	200


CAP (SOC)


Part Number	Size (in)	Std PK	Mstr Ctn
LP116-015	1-1/2	20	240
LP116-020	2	15	180
LP116-030	3	10	60
LP116-040	4	5	20
LP116-060	6	8	0
LP116-080	8	16	0
LP116-100	10	14	0
LP116-120	12	4	0


PVC DWV FITTINGS


NO-HUB ADAPTER (S×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP119-015	1-1/2	25	100
	LP119-020	2	25	100
	LP119-030	3	20	80
	LP119-040	4	14	56
	LP119-251	2x1-1/2	25	100
	LP119-422	4x3	8	48


HUB ADAPTER (H×S)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP123-020	2	20	80
	LP123-030	3	20	0
	LP123-040	4	12	0


TRAP ADAPTER PLUG (H×NPSM THREAD)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP128-015	1-1/2	20	80


TRAP ADAPTER PLUG (S×NPSM THREAD)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP129-015	1-1/2	12	72

REPAIR COUPLING (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP130-015	1-1/2	100	400
	LP130-020	2	30	120
	LP130-030	3	10	60
	LP130-040	4	5	30
	LP130-060	6	12	0


TEST CAP (S)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP131-015	1-1/2	100	600
	LP131-020	2	100	600
	LP131-030	3	50	200
	LP131-040	4	100	400


THREADED CAP (FPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP135-015	1-1/2	50	400
	LP135-020	2	35	210
	LP135-030	3	30	120


90° ELBOW-SHORT TURN (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP300-015S	1-1/2	100	0
	LP300-020S	2	25	100
	LP300-030S	3	25	0


1/4 BEND (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP300-012	1-1/4	50	200
	LP300-015	1-1/2	100	0
	LP300-020	2	50	0
	LP300-030	3	25	0
	LP300-040	4	10	0
	LP300-060	6	4	0
	LP300-080	8	4	0


PVC DWV FITTINGS


1/4 BEND, REDUCING (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP300R-251	2x1-1/2	50	0


1/4 BEND WITH SIDE INLET (ALL HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP300S-337	3x3x1-1/2	8	0
	LP300S-338	3x3x2	10	0


90° TRAP ADAPTER (H×SLIP)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP300X-015	1-1/2		


1/4 BEND (H X FPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP301-030	3	15	0


1/4 BEND, STREET (S×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP302-012	1-1/4	50	200
	LP302-015	1-1/2	30	180
	LP302-020	2	50	0
	LP302-030	3	20	0
	LP302-040	4	10	0
	LP302-060	6	4	0
	LP302-080	8	4	0

90°ELBOW-SHORT TURN (H×S)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP302-020S	2	70	0

1/4 BEND W/ LOW HEEL INLET (H×H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP303-337	3x3x1-1/2	25	0
	LP303-338	3x3x2	25	0
	LP303-420	4x4x2	6	0


LONG SWEEP 1/4 BEND (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP304-015	1-1/2	30	120
	LP304-020	2	15	60
	LP304-030	3	10	0
	LP304-040	4	5	0
	LP304-060	6	4	0

11-1/4° ELBOW (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP305-060	6	6	0

11-1/4° ELBOW (S×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP306-060	6	5	0


PVC DWV FITTINGS

LONG SWEEP 1/4 BEND W/LOW HEEL INLET
(ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP307-337	3x3x1-1/2	10	0
LP307-338	3x3x2	20	0

LONG SWEEP 1/4 BEND W/HIGH HEEL INLET
(ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP308-338	3x3x2	20	0

LONG SWEEP 1/4 BEND, STREET (H×S)




Part Number	Size (in)	Std PK	Mstr Ctn
LP309-015	1-1/2	30	120
LP309-020	2	15	60
LP309-030	3	10	0
LP309-040	4	5	0

1/4 BEND, STREET W/ LOW HEEL INLET (H×S×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP310-338	3x3x2	15	0

LONG SWEEP 1/4 BEND W/SIDE INLET (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP311-338	3x3x2	10	0

1/6 BEND (H×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP319-015	1-1/2	40	160
LP319-020	2	25	100
LP319-030	3	20	0
LP319-040	4	8	0
LP319-060	6	2	0

1/6 BEND, STREET (H×S)




Part Number	Size (in)	Std PK	Mstr Ctn
LP320-015	1-1/2	40	160
LP320-020	2	25	100
LP320-030	3	20	0
LP320-040	4	10	0

1/8 BEND (H×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP321-012	1-1/4	50	200
LP321-015	1-1/2	100	0
LP321-020	2	50	0
LP321-030	3	25	0
LP321-040	4	15	0
LP321-060	6	5	0
LP321-080	8	4	0

45° ELBOW-SHORT TURN (H×H)



Part Number	Size (in)	Std PK	Mstr Ctn
LP321-015S	1-1/2	60	240


1/8 BEND, STREET (H×S)



Part Number	Size (in)	Std PK	Mstr Ctn
LP323-012	1-1/4	40	240
LP323-015	1-1/2	100	0
LP323-020	2	50	0
LP323-030	3	25	0
LP323-040	4	9	0
LP323-060	6	5	0
LP323-080	8	4	0
LP323-100	10	4	0


PVC DWV FITTINGS

45° ELBOW-SHORT TURN (H×S)




Part Number	Size (in)	Std PK	Mstr Ctn
LP323-015S	1-1/2	80	320

1/16 BEND (H×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP324-015	1-1/2	50	200
LP324-020	2	25	100
LP324-030	3	25	0
LP324-040	4	15	0
LP324-060	6	3	0
LP324-080	8	6	0
LP324-100	10	4	0
LP324-120	12	2	0

22-1/2° ELBOW-SHORT TURN (H×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP324-015S	1-1/2	50	200

1/16 BEND, STREET (H×S)




Part Number	Size (in)	Std PK	Mstr Ctn
LP326-015	1-1/2	50	200
LP326-020	2	25	100
LP326-030	3	25	0
LP326-040	4	10	0
LP326-060	6	5	0

DOUBLE 1/4 BEND (H×H×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP327-015	1-1/2	20	80
LP327-020	2	25	0
LP327-030	3	15	0
LP327-040	4	6	0
LP327-241	2x1-1/2x1-1/2	15	60

CLOSET BEND, REDUCING (H×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP329-342	3x4	10	0

VENT ELL (H×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP331-012	1-1/4	30	120
LP331-015	1-1/2	25	150
LP331-020	2	30	120
LP331-030	3	25	0
LP331-040	4	10	0
LP331-060	6	4	0

VENT ELL, STREET (H×S)



Part Number	Size (in)	Std PK	Mstr Ctn
LP333-012	1-1/4	30	120
LP333-015	1-1/2	25	150
LP333-020	2	20	80
LP333-030	3	25	0
LP333-040	4	10	0
LP333-060	6	4	0
LP333-080	8	4	0
LP333-100	10	2	0

TRAP ELBOW (FOR USE WITH TRAPS ONLY) (H×S)




Part Number	Size (in)	Std PK	Mstr Ctn
LP335-030	3	30	0
LP335-040	4	20	0

PVC DWV FITTINGS




SANITARY TEE (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP400-012	1-1/4	50	0
LP400-015	1-1/2	60	0
LP400-020	2	35	0
LP400-030	3	15	0
LP400-040	4	5	0
LP400-060	6	3	0
LP400-080	8	2	0

SANITARY TEE, STREET REDUCING (S×H×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP404-241	2x1-1/2x1-1/2	50	0
LP404-251	2x2x1-1/2	15	60
LP404-257	2x1-1/2x2	15	60
LP404-337	3x3x1-1/2	9	36
LP404-338	3x3x2	15	0
LP404-420	4x4x2	10	0

SANITARY TEE TRAP ADAPTER (H×SLIP×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP400X-015	1-1/2"		

SANITARY TEE W/ LEFT SIDE INLET (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP416-337	3x3x3x1-1/2	8	0
LP416-338	3x3x3x2	10	0
LP416-420	4x4x4x2	4	0

REDUCING SANITARY TEE (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP401-212	1-1/2x1-1/2x1-1/4	10	40
LP401-241	2x1-1/2x1-1/2	15	60
LP401-251	2x2x1-1/2	50	0
LP401-257	2x1-1/2x2	15	60
LP401-337	3x3x1-1/2	8	32
LP401-338	3x3x2	15	0
LP401-419	4x4x1-1/2	10	0
LP401-420	4x4x2	10	0
LP401-422	4x4x3	10	0
LP401-528	6x6x2	5	0
LP401-530	6x6x3	4	0
LP401-532	6x6x4	4	0

SANITARY TEE, STREET (S×H×H)



Part Number	Size (in)	Std PK	Mstr Ctn
LP403-015	1-1/2	25	100
LP403-020	2	30	0
LP403-030	3	10	0
LP403-040	4	10	0

SANITARY TEE W/ R & L SIDE INLETS (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP418-337	3x3x3x1-1/2x1-1/2	6	0
LP418-338	3x3x3x2x2	6	0
LP418-420	4x4x4x2x2	5	0

PVC DWV FITTINGS




DOUBLE SANITARY TEE (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP428-015	1-1/2	15	60
LP428-020	2	25	0
LP428-030	3	6	0
LP428-040	4	6	0
LP428-060	6	1	0

DOUBLE SANITARY TEE W/ R&L SIDE INLETS (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP439-338	3x3x3x3x2x2	4	0
LP439-420	4x4x4x4x2x2	4	0

DOUBLE SANITARY TEE, REDUCING (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP429-251	2x2x1-1/2x1-1/2	25	0
LP429-323	3x3x2x1-1/2	25	0
LP429-337	3x3x1-1/2x1-1/2	6	24
LP429-338	3x3x2x2	10	0
LP429-419	4x4x1-1/2x1-1/2	7	0
LP429-420	4x4x2x2	5	0
LP429-422	4x4x3x3	5	0
LP429-528	6x6x2x2	4	0
LP429-530	6x6x3x3	4	0
LP429-532	6x6x4x4	3	0

VENT TEE (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP441-015	1-1/2	25	100
LP441-020	2	25	0
LP441-030	3	10	0
LP441-040	4	5	0
LP441-060	6	3	0
LP441-080	8	5	0

DOUBLE SANITARY TEE, STREET, REDUCING (S×H×H×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP431-338	3x3x2x2	10	0

CLEANOUT TEE W/ C.O. PLUG (H×H)



Part Number	Size (in)	Std PK	Mstr Ctn
LP444X-015	1-1/2	20	80
LP444X-020	2	15	60
LP444X-030	3	20	0
LP444X-040	4	10	0
LP444X-060	6	4	0
LP444X-080	8	4	0


DOUBLE SANITARY TEE, W/SIDE INLET (ALL HUB)



Part Number	Size (in)	Std PK	Mstr Ctn
LP438-337	3x3x3x3x1-1/2	5	0
LP438-338	3x3x3x3x2	5	0
LP438-420	4x4x4x4x2	4	0


PVC DWV FITTINGS

FLUSH C.O. TEE (H×H×FPT)




Part Number	Size (in)	Std PK	Mstr Ctn
LP445-015	1-1/2	20	120
LP445-020	2	20	80
LP445-030	3	15	0
LP445-040	4	10	0
LP445-060	6	6	0
LP445-080	8	4	0

FLUSH C.O. TEE W/C. O. PLUG (H×H×FPT)




Part Number	Size (in)	Std PK	Mstr Ctn
LP445X-020	2	10	60
LP445X-030	3	10	0
LP445X-040	4	10	0

2-WAY CLEANOUT (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP448-030	3	10	0
LP448-040	4	4	0

DOUBLE FIXTURE FITTING (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP500-020	2x2x2x2	15	0
LP500-030	3x3x3x3	10	0
LP500-241	2x1-1/2x1-1/2x1-1/2	20	0
LP500-251	2x2x1-1/2x1-1/2	20	0
LP500-257	2x1-1/2x2x2	20	0
LP500-338	3x2x3x3	10	0

COMBINATION WYE AND 1/8 BEND (ONE PIECE) (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP501-015	1-1/2	10	40
LP501-020	2	20	0
LP501-030	3	10	0
LP501-040	4	4	0

COMBINATION WYE AND 1/8 BEND, REDUCING (ONE PIECE) (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP502-241	2x1-1/2x1-1/2	10	40
LP502-251	2x2x1-1/2	10	40
LP502-257	2x1-1/2x2	20	0
LP502-337	3x3x1-1/2	12	0
LP502-338	3x3x2	12	0
LP502-420	4x4x2	6	0
LP502-422	4x4x3	4	0

COMBINATION WYE AND 1/8 BEND (TWO PIECE) (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP503-015	1-1/2		
LP503-020	2		
LP503-030	3	10	0
LP503-040	4	5	0
LP503-060	6	1	0
LP503-080	8	1	0

COMBINATION WYE AND 1/8 BEND, REDUCING (TWO PIECE) (ALL HUB)



Part Number	Size (in)	Std PK	Mstr Ctn
LP504-338	3x3x2		
LP504-422	4x4x3	8	0
LP504-532	6x6x4	3	0
LP504-582	8x8x4	2	0
LP504-585	8x8x6	2	0
LP504-624	10x10x4	2	0


COMBINATION WYE AND 1/8 BEND DOUBLE ASSEMBLY (ALL HUB)



Part Number	Size (in)	Std PK	Mstr Ctn
LP507-015	1-1/2	10	0
LP507-020	2	10	0
LP507-030	3	6	0
LP507-040	4	3	0
LP507-251	2x1-1/2	30	0
LP507-338	3x2	10	0
LP507-420	4x2	5	0
LP507-422	4x3	5	0


PVC DWV FITTINGS

COMBINATION WYE AND 1/8 BEND W/LEFT SIDE INLET (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP515-338	3x3x3x2	8	0

COMBINATION WYE AND 1/8 BEND W/RIGHT SIDE INLET (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP516-338	3x3x3x2	8	0

WYE (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP600-012	1-1/4	25	100
LP600-015	1-1/2	50	0
LP600-020	2	25	0
LP600-030	3	15	0
LP600-040	4	8	0
LP600-060	6	2	0
LP600-080	8	2	0

DISHWASHER WYE(H X H X HOSE BARB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP601-209	1-1/2x1-1/2x1/2	40	160

REDUCING WYE (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LP601-241	2x1-1/2x1-1/2	15	60
LP601-251	2x2x1-1/2	15	60
LP601-257	2x1-1/2x2	10	40
LP601-337	3x3x1-1/2	15	0
LP601-338	3x3x2	12	0
LP601-419	4x4x1-1/2	10	0
LP601-420	4x4x2	10	0
LP601-422	4x4x3	10	0
LP601-528	6x6x2	5	0
LP601-530	6x6x3	3	0
LP601-532	6x6x4	4	0
LP601-582	8x8x4	4	0
LP601-585	8x8x6	2	0
LP601-624	10x10x4	4	0

WYE, STREET (S×H×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP602-015	1-1/2	50	0
LP602-020	2	10	40
LP602-030	3	10	0
LP602-040	4	8	0

WYE, STREET, REDUCING (S×H×H)




Part Number	Size (in)	Std PK	Mstr Ctn
LP603-251	2x2x1-1/2	15	60
LP603-337	3x3x1-1/2	15	0
LP603-338	3x3x2	8	0
LP603-420	4x4x2	5	0
LP603-422	4x4x3	5	0


DOUBLE WYE (ALL HUB)





Part Number	Size (in)	Std PK	Mstr Ctn
LP611-015	1-1/2	40	0
LP611-020	2	20	0
LP611-030	3	8	0
LP611-040	4	5	0
LP611-060	6	1	0

PVC DWV FITTINGS


DOUBLE WYE, W/2" SIDE INLET (ALL HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP611S-030	3x3x3x3x2	10	0


REDUCING DOUBLE WYE (ALL HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP612-251	2x2x1-1/2x1-1/2	10	40
	LP612-337	3x3x1-1/2x1-1/2	10	0
	LP612-338	3x3x2x2	15	0
	LP612-420	4x4x2x2	6	0
	LP612-422	4x4x3x3	5	0
	LP612-528	6x6x2x2	4	0
	LP612-530	6x6x3x3	3	0
	LP612-532	6x6x4x4	3	0


WYE W/LEFT SIDE INLET (ALL HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP625-338	3x3x3x2	18	0
	LP625-420	4x4x4x2	4	0


WYE W/RIGHT SIDE INLET (ALL HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP626-338	3x3x3x2	6	0
	LP626-420	4x4x4x2	3	0


RETURN BEND (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP700-015	1-1/2	20	80
	LP700-020	2	25	0
	LP700-030	3	8	0
	LP700-040	4	6	0
	LP700-060	6	2	0

ADAPTER, TAIL PIECE BODY W/O PLASTIC NUT (SPG×MIPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP704-015	1-1/2	24	144


ADAPTER, TAIL PIECE W/PLASTIC NUT (S×SLIP)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP704P-015	1-1/2	24	144
	LP704P-212	1-1/2x1-1/4	20	120


P-TRAP (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP706X-015	1-1/2	25	0
	LP706X-020	2	15	0
	LP706X-030	3	10	0
	LP706X-040	4	4	0
	LP706X-060	6	1	0


P-TRAP W/ CLEANOUT (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP707X-015	1-1/2	30	0
	LP707X-020	2	20	0


ADJUSTABLE P-TRAP W/ PLASTIC NUT (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP708P-012	1-1/4	30	0
	LP708P-015	1-1/2	30	0
	LP708P-020	2	20	0


PVC DWV FITTINGS


P-TRAP W/UNION JOINT (H x FPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP709-015	1-1/2	30	0


P-TRAP, LOW PROFILE (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP710-015	1-1/2	25	0
	LP710-020	2	15	0
	LP710-030	3	10	0
	LP710-040	4	4	0
	LP710-060	6	1	0


L.A. PATTERN P-TRAP ,W/UNION & 1-1/2 & 1-1/4 SLIP WASHERS ,W/PLASTIC NUT (SLIP×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP711P-169	1-1/4x1-1/2	30	0
	LP711P-015	1-1/2	30	0


P-TRAP (H×SLIP)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP713-015	1-1/2	25	0

WASHER BOX P-TRAP (H×H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP716-020	2	20	0


CLOSET FLANGE (H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP800-040	4x4	30	0
	LP800-422	4x3	25	0

CLOSET FLANGE W/TEST PLATE(H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP800T-422	4x3	20	0


CLOSET FLANGE, REDUCING (SPIGOT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP801-422	4x3	25	0


CLOSET FLANGE W/ADJUSTABLE METAL RING (EPOXY COATED)(H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP811-422	4x3	20	0
	LP811-040	4x4	20	0


CLOSET FLANGE W/ADJUSTABLE METAL RING (EPOXY COATED)(S)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP812-422	4x3	36	0
	LP812-040	4x4	30	0


CLOSET FLANGE W/ ADJUSTABLE PLASTIC RING (S)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP812P-422	4x3	25	0


PVC DWV FITTINGS

OFFSET CLOSET FLANGE W/ADJUSTABLE METAL RING (EPOXY COATED)(H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP820-422	4x3	24	0
	LP820-040	4x4	16	0

OFFSET CLOSET FLANGE W/ADJUSTABLE PLASTIC RING (H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP820P-422	4x3	24	0

CLOSET FLANGE (FPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP830-422	4x3	20	0

CLOSET FLANGE (MPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP831-422	4x3	25	0

TUBE END CLEANOUT (H×GASKET PLUG)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP905X-015	1-1/2	25	150
	LP905X-020	2	25	100
	LP905X-030	3	20	80

LP905X-040	4	24	0
------------	---	----	---

Fitting Terms and Abbreviations:
H/HUB : Solvent Weld Socket
S : Spigot End (pipe O.D. size)
FPT : Female Iron Pipe Thread
MPT : Male Iron Pipe Thread
NPSM : Straight Thread for Mechanical Joint
SLIP : Trap End for Receiving Drain Tail Piece
W/ : with
C.O. : Cleanout
S/D : Sewer&Drain
L.A. : Los Angeles
Note : Polyethylene Test Cap Series in PVC DWV is the Same as the one in ABS DWV

PVC SDR 35 Sewer Fittings

QUALITY

LESSO America's plastic fittings line is renowned worldwide for its Superior quality, which complies with cNSFus and UPC certifications, and meets the requirements of ASTM standards and CSA standards.

REFERENTIAL STANDARDS

NSF/ANSI Standard 14- plastic Piping System Components and Related Materials
ASTM D 3034 Standard Specification for Type PSM Poly(Vinyl Chloride)(PVC) Sewer Pipe and Fittings



COLUMN HEADER INFORMATION

Each product column header label identifies the following product particulars:

Part Number: the number used to order the part. PN ending with B represents it with a UPC barcode.

Size: nominal diameter of pipe with which the fitting is to be used.


NOTE: Fittings may be same size (only one size designation) or reducing (multiple sizes designated).

Standard Pack (Std Pk) the quantity of parts packaged in an individual box or bag.

Master Carton (Mstr Ctn) the total quantity of parts contained in individual boxes or bags which are packaged together.

METHODS OF DESIGNATING INLETS OF FITTINGS

PVC SDR 35 SEWER FITTINGS



PVC SDR 35 SEWER FITTINGS



ADAPTER COUPLING (SEWER HUB × DWV HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP117-030	3×3	35	0
	LP117-040	4×4	20	0
	LP117-060	6×6	12	0
	LP117-338	3×2	55	0
	LP117-422	4×3	12	48
	LP117-532	6×4	18	0
PIPE INCREASER-REDUCER (H × H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LSW102-338	3×2	60	0
	LSW102-422	4×3	64	0
	LSW102-532	6×4	18	0
	LSW102-582	8×4	12	0
ADAPTER BUSHING (SEWER SPG×DWV HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP117X-040	4×4	60	0
	LP117X-060	6×6	10	0
	LP117X-337	3×1-1/2	65	0
	LP117X-338	3×2	60	0
	LP117X-420	4×2	56	0
	LP117X-422	4×3	8	48
	LP117X-437	4×1-1/2	40	0
	LP117X-532	6×4	10	0
FITTING CLEANOUT ADAPTER (S × FPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LSW105-030	3	63	0
	LSW105-040	4	84	0
	LSW105-060	6	24	0
	LSW105-080	8	12	0
ADAPTER BUSHING (DWV SPG × SEWER HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LP118-020	2×2	25	300
	LP118-030	3×3	25	150
	LP118-040	4×4	10	60
	LP118-060	6×6	12	0
FITTING CLEANOUT ADAPTER W/ C.O. PLUG (S × FPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LSW105X-030	3	45	0
	LSW105X-040	4	60	0
	LSW105X-060	6	18	0
COUPLING (H × H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LSW100-030	3	40	0
	LSW100-040	4	28	0
	LSW100-060	6	12	0
	LSW100-080	8	10	0
CLEANOUT PLUG(MPT)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LSW106-030	3	120	0
	LSW106-040	4	70	0
	LSW106-060	6	25	0
	LSW106-080	8	25	0
FEMALE ADAPTER (FPT × H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LSW101-030	3	50	0
	LSW101-040	4	56	0
	LSW101-060	6	18	0
	LSW101-080	8	12	0
REDUCING BUSHING (S × H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LSW107-338	3×2	100	0
	LSW107-422	4×3	45	0

PVC SDR 35 SEWER FITTINGS




MALE ADAPTER (MPT × H)



Part Number	Size (in)	Std PK	Mstr Ctn
LSW109-030	3	50	0
LSW109-040	4	50	0

FLUSH DOWNSPOUT ADAPTER
(DOWNSPOUTxSEWER HUB, HxH)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW218-0233	2×3×3	40	0
LSW218-0234	2×3×4	30	0
LSW218-0344	3×4×4	40	0
LSW218-0466	4×6×6	15	0

CAP (HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW116-030	3	90	0
LSW116-040	4	70	0
LSW116-060	6	25	0
LSW116-080	8	16	0

DRAIN GRATE(SPG)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW299-030	3	110	0
LSW299-040	4	56	0
LSW299-060	6	32	0
LSW299-080	8	12	0

EXTENDED REDUCER BUSHING (SPGxH)



Part Number	Size (in)	Std PK	Mstr Ctn
LSW117XE-532	6×4	10	0
LSW117XE-582	8×4	12	0
LSW117XE-585	8×6	12	0

1/4 BEND (H × H)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW300-030	3	30	0
LSW300-040	4	15	0
LSW300-060	6	7	0
LSW300-080	8	3	0

REPAIR COUPLING (H × H)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW130-040	4	30	0
LSW130-060	6	12	0

DOWNSPOUT ADAPTER
(DOWNSPOUTxSEWER HUB,HxH)



Part Number	Size (in)	Std PK	Mstr Ctn
LSW217-0233	2×3×3	36	0
LSW217-0234	2×3×4	60	0
LSW217-0343	3×4×3	85	0
LSW217-0344	3×4×4	36	0

LONG SWEEP 1/4 BEND (H × H)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW304-030	3	25	0
LSW304-040	4	16	0
LSW304-060	6	4	0
LSW304-080	8	4	0

PVC SDR 35 SEWER FITTINGS




LONG SWEEP 1/4 BEND, STREET (S × H)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW309-030	3	25	0
LSW309-040	4	15	0

SANITARY TEE (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW400-030	3	18	0
LSW400-040	4	8	0
LSW400-060	6	3	0
LSW400-080	8	2	0

1/8 BEND (H × H)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW321-020	2	100	0
LSW321-030	3	45	0
LSW321-040	4	18	0
LSW321-060	6	8	0
LSW321-080	8	7	0

REDUCING SANITARY TEE (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW401-532	6×6×4	5	0

1/8 BEND, STREET (S × H)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW323-030	3	40	0
LSW323-040	4	20	0
LSW323-060	6	5	0
LSW323-080	8	4	0

TEE (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW441-030	3	23	0
LSW441-040	4	12	0
LSW441-060	6	5	0
LSW441-080	8	5	0

1/16 BEND (H × H)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW324-030	3	30	0
LSW324-040	4	20	0
LSW324-060	6	10	0
LSW324-080	8	8	0

REDUCING TEE (ALL HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW441-422	4×4×3	20	0
LSW441-532	6×6×4	4	0
LSW441-582	8×8×4	3	0
LSW441-585	8×8×6	4	0

1/16 BEND, STREET (S × H)




Part Number	Size (in)	Std PK	Mstr Ctn
LSW326-030	3	35	0
LSW326-040	4	33	0
LSW326-060	6	10	0
LSW326-080	8	6	0


CLEANOUT TEE (H × H × FPT)





Part Number	Size (in)	Std PK	Mstr Ctn
LSW445-040	4	20	0

PVC SDR 35 SEWER FITTINGS

WYE (ALL HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LSW600-030	3	18	0
	LSW600-040	4	10	0
	LSW600-060	6	2	0
	LSW600-080	8	2	0

WYE, STREET (S × H × H)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LSW602-040	4	13	0

REDUCING WYE(ALL HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LSW601-338	3×3×2	35	0
	LSW601-422	4×4×3	15	0
	LSW601-532	6×6×4	5	0
	LSW601-582	8×8×4	5	0
	LSW601-585	8×8×6	2	0

REDUCING DOUBLE WYE(ALL HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn
	LSW612-532	6×4	3	0

PVC SDR35 GASKETED SEWER FITTINGS

QUALITY

LESSO America's plastic fittings line is renowned worldwide for its Superior quality, which complies with cNSFus and UPC certifications, and meets the requirements of ASTM standards.

REFERENTIAL STANDARDS

ASTM D3034-2008 Type PSM Poly(Vinyl Chloride) (PVC) Sewer Pipe and Fittings
ASTM F1336-20 Standard Specification for Poly(Vinyl Chloride)(PVC) Gasketed Sewer Fittings




COLUMN HEADER INFORMATION

Each product column header label identifies the following product particulars:
Part Number: the number used to order the part. PN ending with B represents it with a UPC barcode.
Size: nominal diameter of pipe with which the fitting is to be used.
NOTE: Fittings may be same size (only one size designation) or reducing (multiple sizes designated).
Standard Pack (Std Pk) the quantity of parts packaged in an individual box or bag.
Master Carton (Mstr Ctn) the total quantity of parts contained in individual boxes or bags which are packaged together.

METHODS OF DESIGNATING INLETS OF FITTINGS

PVC SDR35 GASKETED SEWER FITTINGS




PVC SDR35 GASKETED SEWER FITTINGS

Tee(ALL HUB)					Reducing Tee(ALL HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn		Part Number	Size (in)	Std PK	Mstr Ctn
	LSG441-040	4				LSG441-532	6×6×4		
	LSG441-060	6				LSG441-582	8×8×4		
	LSG441-080	8				LSG441-585	8×8×6		
Tee(G×DWV G)					2 Way Cleanout				
	Part Number	Size (in)	Std PK	Mstr Ctn		Part Number	Size (in)	Std PK	Mstr Ctn
	LSG449-582	8×8×4				LSG448-040	4		
	LSG449-585	8×8×6				LSG448-060	6		
Cross(ALL HUB)					Reducer Cross(ALL HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn		Part Number	Size (in)	Std PK	Mstr Ctn
	LSG437-040	4				LSG438-532	6×6×4×4		
	LSG437-060	6				LSG438-582	8×8×4×4		
	LSG437-080	8				LSG438-585	8×8×6×6		
Sanitary Tee(ALL HUB)					Reducing Sanitary Tee(ALL HUB)				
	Part Number	Size (in)	Std PK	Mstr Ctn		Part Number	Size (in)	Std PK	Mstr Ctn
	LSG400-040	4				LSG401-532	6×6×4		
	LSG400-060	6				LSG401-582	8×8×4		
	LSG400-080	8				LSG401-585	8×8×6		
Sanitary Tee,Street(ALL HUB)					Reducing Sanitary Tee,Street(S×G×G)				
	Part Number	Size (in)	Std PK	Mstr Ctn		Part Number	Size (in)	Std PK	Mstr Ctn
	LSG403-040	4				LSG404-532	6×6×4		
	LSG403-060	6				LSG404-582	8×8×4		
	LSG403-080	8				LSG404-585	8×8×6		


PVC SDR35 GASKETED SEWER FITTINGS




Wye(ALL HUB)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG600-040	4		
	LSG600-060	6		
	LSG600-080	8		


Reducing Wye(ALL HUB)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG601-532	6×6×4		
	LSG601-582	8×8×4		
	LSG601-585	8×8×6		


Wye with DWV Branch (G×G×DWVG)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG606-582	8x8x4		
	LSG606-585	8x8x6		


Wye with DWV Branch(G×G×DWVH)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG607-582	8x8x4		
	LSG607-585	8x8x6		


Wye,Street(S×G×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG602-040	4		
	LSG602-060	6		
	LSG602-080	8		


Reducing Wye,Street(S×G×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG603-532	6x6x4		
	LSG603-582	8x8x4		
	LSG603-585	8x8x6		


Double Wye(ALL HUB)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG611-040	4		
	LSG611-060	6		
	LSG611-080	8		


Reducing Double Wye(ALL HUB)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG612-532	6x6x4x4		
	LSG612-582	8x8x4x4		
	LSG612-585	8x8x6x6		

1/4 Bend (G×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG300-040	4		
	LSG300-060	6		
	LSG300-080	8		


1/4 Bend,Street(S×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG302-040	4		
	LSG302-060	6		
	LSG302-080	8		


PVC SDR35 GASKETED SEWER FITTINGS




1/8 Bend (G×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG321-040	4		
	LSG321-060	6		
	LSG321-080	8		


1/8 Bend,Street(S×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG323-040	4		
	LSG323-060	6		
	LSG323-080	8		


1/8 Extended Bend(G×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG304-040	4		
	LSG304-060	6		


1/8 Extended Bend (S×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG307-040	4		
	LSG307-060	6		


1/12°Elbow(G×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG326-040	4		
	LSG326-060	6		
	LSG326-080	8		


1/12°Elbow(S×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG327-040	4		
	LSG327-060	6		
	LSG327-080	8		

22 1/2°Elbow(G×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG324-040	4		
	LSG324-040	6		
	LSG324-040	8		


22 1/2°Elbow(S×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG325-040	4		
	LSG325-060	6		
	LSG325-080	8		

11 1/4°Elbow(G×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG305-040	4		
	LSG305-060	6		
	LSG305-080	8		


11 1/4°Elbow(S×G)

	Part Number	Size (in)	Std PK	Mstr Ctn
	LSG306-040	4		
	LSG306-060	6		
	LSG306-080	8		

PVC SDR35 GASKETED SEWER FITTINGS




Pipe Increaser-reducer(S×G)




Part Number	Size (in)	Std PK	Mstr Ctn
LSG117×-532	6×4		
LSG117×-582	8×4		
LSG117×-585	8×6		

Pipe Increaser-eccentric Reducer(S×G)



Part Number	Size (in)	Std PK	Mstr Ctn
LSG729×-532	6×4		
LSG729×-582	8×4		
LSG729×-585	8×6		

Pipe Increaser-eccentric Reducer(G×G)




Part Number	Size (in)	Std PK	Mstr Ctn
LSG729-532	6×4		
LSG729-582	8×4		
LSG729-585	8×6		

Pipe Increaser-reducer(G×G)




Part Number	Size (in)	Std PK	Mstr Ctn
LSG102-532	4		
LSG102-582	6		
LSG102-585	8		

Coupling(G×G)




Part Number	Size (in)	Std PK	Mstr Ctn
LSG100-040	4		
LSG100-060	6		
LSG100-080	8		

Repair Coupling(G×G)



Part Number	Size (in)	Std PK	Mstr Ctn
LSG130-040	4		
LSG130-060	6		
LSG130-080	8		

Cap (HUB)




Part Number	Size (in)	Std PK	Mstr Ctn
LSG116-040	4		
LSG116-060	6		
LSG116-080	8		

Plug (SPIG)




Part Number	Size (in)	Std PK	Mstr Ctn
LSG110S-040	4		
LSG110S-060	6		
LSG110S-080	8		

Temporary Plug




Part Number	Size (in)	Std PK	Mstr Ctn
LSG216-040	4		
LSG216-060	6		
LSG216-080	8		

Adapter Coupling(S×G)




Part Number	Size (in)	Std PK	Mstr Ctn
LSG117-040	4		
LSG117-060	6		
LSG117-080	8		

Adapter Coupling(G×DWVH)



Part Number	Size (in)	Std PK	Mstr Ctn
LSG119-040	4		
LSG119-532	6X4		
LSG119-060	6		
LSG119-080	8		

Adapter Bushing(S×DWVG)



Part Number	Size (in)	Std PK	Mstr Ctn
LSG119×-040	4		
LSG119×-060	6		
LSG119×-080	8		

CPVC CTS FITTINGS

QUALITY

CPVC resin is produced by chlorinated modification of polyvinyl chloride (PVC) resin. After chlorination of PVC resin, the irregularity and polarity of molecular bonds increase to improve the resin's solubility and chemical stability. This enhances the material's heat resistance and resistance to corrosion from acids, alkalis, salts and oxidants. It is a new type of engineering plastic with broad application prospects. It features high tensile strength, bending strength, bending modulus, and resistance to high pressure and high temperatures.

REFERENTIAL STANDARDS

ASTM D2846 D2846M-2024 Standard Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot-and Cold-Water Distribution Systems.



COLUMN HEADER INFORMATION

Each product column header label identifies the following product particulars:

Part Number: the number used to order the part.

Size: nominal diameter of pipe with which the fitting is to be used.


NOTE: Fittings may be same size (only one size designation) or reducing (multiple sizes designated).

Standard Pack (Std Pk) the quantity of parts packaged in an individual box or bag.


Master Carton (Mstr Ctn) the total quantity of parts contained in individual boxes or bags which are packaged together.

METHODS OF DESIGNATING INLETS OF FITTINGS


CPVC CTS FITTINGS




Reducing Tee
(SOC x SOC x SOC)




Male Adapter
(SOC x MIPT)




90° Street El
(SPIG x SOC)



90° Reducing El
(SOC x SOC)



Drop Ear 90° El (One Piece) w/Gasket
(SOC x FIPT)



Reducing Coupling
(SOC x SOC)

CPVC CTS FITTINGS

Tee (SOC x SOC x SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
CP4101-005	1/2	40	480
CP4101-007	3/4	25	300
CP4101-010	1	25	150
CP4101-012	1-1/4	20	80
CP4101-015	1-1/2	10	40
CP4101-020	2	6	24

90° El (SOC x SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
CP4106-005	1/2	50	600
CP4106-007	3/4	30	360
CP4106-010	1	25	200
CP4106-012	1-1/4	30	120
CP4106-015	1-1/2	20	80
CP4106-020	2	8	32

90° Reducing El (SOC x SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
CP4106-101	3/4 x 1/2	35	420

Drop Ear 90° El (One Piece) w/Gasket (SOC x FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
CPDE4107-005CG	1/2	25	200

90° Street El (SPIG x SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
CP4109-005	1/2	60	720
CP4109-007	3/4	25	300
CP4109-010	1	30	240

Reducing Tee (SOC x SOC x SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
CP4101-074	1/2 x 1/2 x 3/4	40	480
CP4101-094	3/4 x 1/2 x 1/2	35	420
CP4101-095	3/4 x 1/2 x 3/4	25	300
CP4101-101	3/4 x 3/4 x 1/2	30	360
CP4101-102	3/4 x 3/4 x 1	25	200
CP4101-125	1 x 3/4 x 3/4	25	200
CP4101-130	1 x 1 x 1/2	25	200
CP4101-131	1 x 1 x 3/4	30	180
CP4101-167	1-1/4 x 1-1/4 x 3/4	30	120
CP4101-168	1-1/4 x 1-1/4 x 1	25	100
CP4101-209	1-1/2 x 1-1/2 x 1/2	20	80
CP4101-210	1-1/2 x 1-1/2 x 3/4	15	90
CP4101-211	1-1/2 x 1-1/2 x 1	18	72
CP4101-247	2 x 2 x 1/2	28	112
CP4101-248	2 x 2 x 3/4	24	96
CP4101-249	2 x 2 x 1	24	96
CP4101-250	2 x 2 x 1-1/4	20	80
CP4101-251	2 x 2 x 1-1/2	12	48

Drop Ear 90° El w/Bracket (SOC x SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
CPDE4106-005	1/2	30	360

Drop Ear 90° El (SOC x METAL FIPT)


Part Number	Size (in)	Std PK	Mstr Ctn
CPDE4107-005SS	1/2	15	180

45° El (SOC x SOC)


Part Number	Size (in)	Std PK	Mstr Ctn
CP4117-005	1/2	80	960
CP4117-007	3/4	25	300
CP4117-010	1	35	280
CP4117-012	1-1/4	40	160
CP4117-015	1-1/2	25	100
CP4117-020	2	20	80

CPVC CTS FITTINGS


45° Street Ell (SPIG × SOC)

	Part Number	Size (in)	Std PK	Mstr Ctn
	CP4127-005	1/2	80	960
	CP4127-007	3/4	50	600
	CP4127-010	1	25	300


Reducing Coupling (SOC × SOC)

	Part Number	Size (in)	Std PK	Mstr Ctn
	CP4129-101	3/4×1/2	50	600
	CP4129-131	1×3/4	40	480
	CP4129-166	1-1/4×1/2	25	300
	CP4129-248	2×3/4	25	100
	CP4129-249	2×1	25	100
	CP4129-250	2×1-1/4	20	80
	CP4129-251	2×1-1/2	20	80


Male Adapter (SOC × MIPT)

	Part Number	Size (in)	Std PK	Mstr Ctn
	CP4136-005	1/2	75	900
	CP4136-007	3/4	40	480
	CP4136-010	1	30	360
	CP4136-012	1-1/4	25	200


Reducing Bushing (SPIG × SOC)

	Part Number	Size (in)	Std PK	Mstr Ctn
	CP4137-101	3/4×1/2	95	1140
	CP4137-130	1×1/2	50	600
	CP4137-131	1×3/4	45	540
	CP4137-166	1-1/4×1/2	25	300
	CP4137-167	1-1/4×3/4	25	300
	CP4137-168	1-1/4×1	35	420
	CP4137-209	1-1/2×1/2	30	240
	CP4137-210	1-1/2×3/4	25	300
	CP4137-211	1-1/2×1	30	240
	CP4137-212	1-1/2×1-1/4	20	240
	CP4137-248	2×3/4	35	140
	CP4137-249	2×1	25	100
	CP4137-250	2×1-1/4	30	120
	CP4137-251	2×1-1/2	30	120


Coupling (SOC × SOC)

	Part Number	Size (in)	Std PK	Mstr Ctn
	CP4129-005	1/2	90	1080
	CP4129-007	3/4	40	480
	CP4129-010	1	25	300
	CP4129-012	1-1/4	25	200
	CP4129-015	1-1/2	40	160
	CP4129-020	2	24	144


Female Adapter (SOC × METAL FIPT)

	Part Number	Size (in)	Std PK	Mstr Ctn
	CP4135-005SS	1/2	40	480
	CP4135-007SS	3/4	30	360


Male Adapter (SOC × METAL MIPT)

	Part Number	Size (in)	Std PK	Mstr Ctn
	CP4136-005SS	1/2	30	360
	CP4136-007SS	3/4	25	300
	CP4136-010SS	1	25	150

Transition Bushing (IPS SPIG × CTS SOC)


	Part Number	Size (in)	Std PK	Mstr Ctn
	CP4140-007	3/4	50	600
	CP4140-010	1	25	300
	CP4140-012	1-1/4	20	240
	CP4140-015	1-1/2	35	210
	CP4140-020	2	30	120

Transition Coupling (IPS SOC × CTS SOC)


	Part Number	Size (in)	Std PK	Mstr Ctn
	CP4141-007	3/4	35	420

CPVC CTS FITTINGS

Cap (SOC)

	Part Number	Size (in)	Std PK	Mstr Ctn
	CP4147-005	1/2	160	1920
	CP4147-007	3/4	70	840
	CP4147-010	1	50	600
	CP4147-012	1-1/4	40	320
	CP4147-015	1-1/2	25	200
	CP4147-020	2	25	100

Union w/EPDM O-ring Seal (SOC × SOC)

	Part Number	Size (in)	Std PK	Mstr Ctn
	CP4197-005	1/2	25	300
	CP4197-007	3/4	20	240
	CP4197-010	1	25	150

ABS DWV Fittings

QUALITY

LESSO America's plastic fittings line is renowned worldwide for its superior quality, which complies with cNSFus certification, and meets the requirements of ASTM standards and CSA standards.

REFERENTIAL STANDARDS

ASTM D3965
Standard Classification System and Basis for Specifications for Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings

ASTM D2661
Standard Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings


CSA B181.1
Acrylonitrile-Butadiene-Styrene (ABS) Drain, Waste, and Vent Pipe and pipe fittings




Column Header Information

Each product column header label identifies the following product particulars:
Part Number: the number used to order the part. PN ending with B represents it with a UPC barcode.
Size: nominal diameter of pipe with which the fitting is to be used.
NOTE: Fittings may be same size (only one size designation) or reducing (multiple sizes designated).
Standard Pack (Std Pk) the quantity of parts packaged in an individual box or bag.


Methods of Designating Inlets of Fittings




FEMALE ADAPTER




CAP




90° ELBOW




SANITARY TEE




DOUBLE SANITARY TEE




P-TRAP




CLOSET FLANGE




90° ELBOW W/LOW HEEL INLET




DOUBLE 90° ELBOW




TWO-WAY CLEANOUT



SANITARY TEE W/LEFT SIDE INLET



SANITARY TEE W/R&L SIDE INLET




DOUBLE SANITARY TEE W/R&L SIDE INLET

ABS DWV Fittings




COUPLING (HUB x HUB)




Part Number	Size (in)	Std PK
LN100-012	1-1/4	125
LN100-015	1-1/2	125
LN100-020	2	100
LN100-030	3	45
LN100-040	4	25
LN100-060	6	12

TRAP ADAPTER W/PLASTIC NUT&WASHER (SPGX SJ)




Part Number	Size (in)	Std PK
LN103X-012	1-1/4	100
LN103X-015	1-1/2	100
LN103X-020	2	50
LN103X-212	1-1/2x1-1/4	100

FEMALE ADAPTER (HUB x FIPT)




Part Number	Size (in)	Std PK
LN101-012	1-1/4	125
LN101-015	1-1/2	100
LN101-020	2	75
LN101-030	3	30
LN101-040	4	25
LN101-060	6	10

TRAP ADAPTER-FEMALE (HUB x SJ) (WITHOUT NUT)




Part Number	Size (in)	Std PK
LN104-012	1-1/4	170
LN104-015	1-1/2	120
LN104-020	2	80
LN104-212	1-1/2"x1-1/4	130

PIPE INCREASER-REDUCER (HUB x HUB)




Part Number	Size (in)	Std PK
LN102-212	1-1/2x1-1/4	125
LN102-251	2x1-1/2	75
LN102-337	3x1-1/2	35
LN102-338	3x2	35
LN102-419	4x1-1/2	20
LN102-420L	4x2	10
LN102-422L	4x3	10

TRAP ADAPTER W/PLASTIC NUT (HUB x SJ)




Part Number	Size (in)	Std PK
LN104P-012	1-1/4	125
LN104P-015	1-1/2	100
LN104P-212	1-1/2x1-1/4	100

TRAP ADAPTER-MALE (SPG x SJ) (WITHOUT NUT)




Part Number	Size (in)	Std PK
LN103-012	1-1/4"	200
LN103-015	1-1/2"	150
LN103-020	2	100
LN103-212	1-1/2"x1-1/4"	150

TRAP ADAPTER W/PLASTIC NUT (SPG x SJ)



Part Number	Size (in)	Std PK
LN103P-012	1-1/4	100
LN103P-015	1-1/2	100
LN103P-212	1-1/2x1-1/4	100

CLEANOUT ADAPTER (SPG x FIPT)




Part Number	Size (in)	Std PK
LN105-012	1-1/4	70
LN105-015	1-1/2	100
LN105-020	2	60
LN105-030	3	35
LN105-040	4	25
LN105-060	6	15

ABS DWV Fittings




CLEANOUT ADAPTER W/PLUG
(SPG x CLEANOUT W/PLUG)




Part Number	Size (in)	Std PK
LN105X-012	1-1/4	110
LN105X-015	1-1/2	90
LN105X-020	2	50
LN105X-030	3	30
LN105X-040	4	25
LN105X-060	6	12

PLUG WITH GASKET (MIPT)



Part Number	Size (in)	Std PK
LN106R-012	1-1/4	100
LN106R-015	1-1/2	100
LN106R-020	2	150
LN106R-025	2-1/2	25
LN106R-030	3	25
LN106R-035	3-1/2	25
LN106R-040	4	35
LN106R-060	6	10


FLUSH BUSHING (SPG x HUB)



Part Number	Size (in)	Std PK
LN107-212	1-1/2x1-1/4	150
LN107-251	2x1-1/2	150
LN107-337	3x1-1/2	35
LN107-338	3x2	60
LN107-419	4x1-1/2	10
LN107-420	4x2	20
LN107-422	4x3	35
LN107-532*	6x4	8


* Design available only for 6x4 inch model

FLUSH ADAPTER (SPG x FIPT)




Part Number	Size (in)	Std PK
LN108-209	1-1/2x1/2	120
LN108-210	1-1/2x3/4	100
LN108-212	1-1/2x1-1/4	100
LN108-251	2x1-1/2	90
LN108-337	3x1-1/2	40
LN108-338	3x2	20
LN108-422	4x3	15

MALE ADAPTER (HUB x MIPT)




Part Number	Size (in)	Std PK
LN109-012	1-1/4	70
LN109-015	1-1/2	125
LN109-020	2	80
LN109-030	3	30
LN109-040	4	15
LN109-212	1-1/2x1-1/4	100

SLIP PLUG (SPG)




Part Number	Size (in)	Std PK
LN110S-015	1-1/2	100
LN110S-020	2	90

FLUSH C.O. PLUG(MPT)




Part Number	Size (in)	Std PK
LN110-020	2	250
LN110-030	3	160
LN110-040	4	75

MALE ADAPTER (SPG x MIPT)




Part Number	Size (in)	Std PK
LN111-012	1-1/4	50
LN111-015	1-1/2	100
LN111-020	2	25
LN111-030	3	20
LN111-040	4	10
LN111-212	1-1/2x1-1/4	50

P-TRAP PLUG(FIPT)



Part Number	Size (in)	Std PK
LN115-012	1-1/4	180

CAP (HUB)




Part Number	Size (in)	Std PK
LN116-012	1-1/4	120
LN116-015	1-1/2	90
LN116-020	2	110
LN116-030	3	30
LN116-040	4	25
LN116-060	6	24

ABS DWV Fittings




SEWER & DRAIN ADAPTER (HUB x HUB)




Part Number	Size (in)	Std PK
LN117-422	4x3	25

ABS-COPPER ADAPTER (HUB x SJ)




Part Number	Size (in)	Std PK
LN120-015	1-1/2	80
LN120-212	1-1/2x1-1/4	80

UNION (HUB x HUB)




Part Number	Size (in)	Std PK
LN126-015	1-1/2	50
LN126-020	2	15

REPAIR COUPLING(HUB x HUB)




Part Number	Size (in)	Std PK
LN130-015	1-1/2	50
LN130-020	2	25
LN130-030	3	25
LN130-040	4	15

POLYETHYLENE TEST CAP




Part Number	Size (in)	Std PK
LN132-015	1-1/2	200
LN132-020	2	150
LN132-030	3	35
LN132-040	4	40
LN132-060	6	10

THREADED CAP (FIPT)




Part Number	Size (in)	Std PK
LN135-015	1-1/2	100
LN135-020	2	125
LN135-030	3	50

90° ELBOW (HUB x HUB)




Part Number	Size (in)	Std PK
LN300-012	1-1/4	75
LN300-015	1-1/2	110
LN300-020	2	50
LN300-030	3	15
LN300-040	4	15
LN300-060	6	4

90° ELBOW-SHORT TURN (HUB x HUB)




Part Number	Size (in)	Std PK
LN300-012S	1-1/4	70
LN300-015S	1-1/2	125
LN300-020S	2	50
LN300-030S	3	20
LN300-040S	4	20
LN300-060S	6	3

90°ELBOW WITH SIDE INLET (HUB x HUB x HUB)




Part Number	Size (in)	Std PK
LN300S-337	3x3x1-1/2	20
LN300S-338	3x3x2	20

90° STREET ELBOW (HUB x SPG)




Part Number	Size (in)	Std PK
LN302-012	1-1/4	75
LN302-015	1-1/2	45
LN302-020	2	25
LN302-030	3	15
LN302-040	4	15
LN302-060	6	3


90° STREET ELBOW-SHORT TURN (HUB x SPG)





Part Number	Size (in)	Std PK
LN302-015S	1-1/2	125
LN302-020S	2	50
LN302-030S	3	20
LN302-040S	4	20


ABS DWV Fittings


90° ELBOW W/LOW HEEL INLET (HUB x HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN303-337	3x3x1-1/2	25
	LN303-338	3x3x2	15
	LN303-420	4x4x2	10


60° STREET ELBOW (HUB x SPG)			
	Part Number	Size (in)	Std PK
	LN320-015	1-1/2	50
	LN320-020	2	25
	LN320-030	3	20
	LN320-040	4	10


90° LONG SWEEP ELBOW (HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN304-012	1-1/4	50
	LN304-015	1-1/2	50
	LN304-020	2	25
	LN304-030	3	10
	LN304-040	4	10


45° ELBOW (HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN321-012	1-1/4	100
	LN321-015	1-1/2	100
	LN321-020L	2	50
	LN321-030L	3	20
	LN321-040	4	10
	LN321-060	6	8


90° STREET LONG SWEEP ELBOW (HUBxSPG)			
	Part Number	Size (in)	Std PK
	LN309-015	1-1/2	50
	LN309-020	2	30
	LN309-030	3	15
	LN309-040	4	15

45° ELBOW-SHORT TURN (HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN321-015S	1-1/2	125
	LN321-020S	2	50
	LN321-030S	3	25
	LN321-040S	4	25


90° STREET ELBOW W/ LOW HEEL INLET (HUB x SPG x HUB)			
	Part Number	Size (in)	Std PK
	LN310-338	3x3x2	10


45° STREET ELBOW (HUB x SPG)			
	Part Number	Size (in)	Std PK
	LN323-012	1-1/4	40
	LN323-015	1-1/2	100
	LN323-020L	2	50
	LN323-030L	3	20
	LN323-040	4	10
	LN323-060	6	5


60°ELBOW (HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN319-015	1-1/2	60
	LN319-020	2	40
	LN319-030	3	20
	LN319-040	4	10


45° STREET ELBOW-SHORT TURN (HUB x SPG)			
	Part Number	Size (in)	Std PK
	LN323-015S	1-1/2	125
	LN323-020S	2	50
	LN323-030S	3	25
	LN323-040S	4	25


ABS DWV Fittings


22 1/2° ELBOW (HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN324-015	1-1/2	75
	LN324-020	2	50
	LN324-030	3	20
	LN324-040	4	15
	LN324-060	6	5


VENT ELL (HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN331-012	1-1/4	100
	LN331-015	1-1/2	50
	LN331-020	2	25
	LN331-030	3	20
	LN331-040	4	15


22 1/2° STREET ELBOW (HUB x SPG)			
	Part Number	Size (in)	Std PK
	LN326-015	1-1/2	50
	LN326-020	2	50
	LN326-030	3	20
	LN326-040	4	10


SANITARY TEE (HUB x HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN400-012L	1-1/4	50
	LN400-015L	1-1/2	100
	LN400-020L	2	35
	LN400-030	3	20
	LN400-040L	4	10
	LN400-060	6	3


DOUBLE 90° ELBOW (HUB x HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN327-015	1-1/2	25
	LN327-020	2	20
	LN327-030	3	5
	LN327-040	4	10
	LN327-241	2x1-1/2x1-1/2	25

REDUCING SANITARY TEE (HUB x HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN401-212	1-1/2x1-1/2x1-1/4	50
	LN401-222	1-1/2x1-1/4x1-1/4	50
	LN401-225	1-1/2x1-1/4x1-1/2	50
	LN401-241L	2x1-1/2x1-1/2	25
	LN401-251L	2x2x1-1/2	50
	LN401-257L	2x1-1/2x2	50
	LN401-337	3x3x1-1/2	25
	LN401-338L	3x3x2	20
	LN401-419	4x4x1-1/2	15
	LN401-420	4x4x2	20
	LN401-422	4x4x3	15
	LN401-532	6x6x4	5

90° REDUCING CLOSET ELBOW (HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN329-422	4x3	20


STREET SANITARY TEE (SPG x HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN403-015	1-1/2	50
	LN403-020	2	20
	LN403-030	3	20
	LN403-040	4	10

90° REDUCING CLOSET STREET ELBOW (HUB x SPG)			
	Part Number	Size (in)	Std PK
	LN330-342	3x4	10


90° REDUCING CLOSET STREET ELBOW W/ TEST CAP (HUB x SPG)			
	Part Number	Size (in)	Std PK
	LN330X-342	3x4	10

ABS DWV Fittings


REDUCING STREET SANITARY TEE (SPG x HUB x HUB)

	Part Number	Size (in)	Std PK
	LN404-241	2x1-1/2x1-1/2	20
	LN404-251	2x2x1-1/2	20
	LN404-257	2x1-1/2x2	25
	LN404-337	3x3x1-1/2	25
	LN404-338	3x3x2	20


DOUBLE SANITARY TEE (ALL HUB)

	Part Number	Size (in)	Std PK
	LN428-015	1-1/2	15
	LN428-020	2	15
	LN428-030	3	15
	LN428-040	4	6


SANITARY TEE W/LEFT SIDE INLET (ALL HUB)

	Part Number	Size (in)	Std PK
	LN416-329	3x3x2x2	10
	LN416-337	3x3x3x1-1/2	10
	LN416-338	3x3x3x2	10
	LN416-420	4x4x4x2	5


REDUCING DOUBLE SANITARY TEE (ALL HUB)

	Part Number	Size (in)	Std PK
	LN429-251	2x2x1-1/2x1-1/2	20
	LN429-323	3x3x2x1-1/2	20
	LN429-337	3x3x1-1/2x1-1/2	15
	LN429-338	3x3x2x2	8
	LN429-420	4x4x2x2	5
	LN429-422	4x4x3x3	10


SANITARY TEE W/RIGHT SIDE INLET (ALL HUB)

	Part Number	Size (in)	Std PK
	LN417-329	3x3x2x2	5
	LN417-337	3x3x3x1-1/2	10
	LN417-338	3x3x3x2	10
	LN417-420	4x4x4x2	5


DOUBLE SANITARY TEE W /SIDE INLET (ALL HUB)

	Part Number	Size (in)	Std PK
	LN438-337	3x3x3x3x1-1/2	10
	LN438-338	3x3x3x3x2	10
	LN438-420	4x4x4x4x2	5

SANITARY TEE W/R&L SIDE INLETS (ALL HUB)


	Part Number	Size (in)	Std PK
	LN418-337	3x3x3x1-1/2x1-1/2	5
	LN418-338	3x3x3x2x2	10
	LN418-420	4x4x4x2x2	5

DOUBLE SANITARY TEE W/R&L SIDE INLET (ALL HUB)


	Part Number	Size (in)	Std PK
	LN439-338	3x3x3x3x2x2	10

ABS DWV Fittings


VENT TEE (HUB x HUB x HUB)

	Part Number	Size (in)	Std PK
	LN441-015	1-1/2	50
	LN441-020	2	20
	LN441-030	3	10
	LN441-040	4	15


DOUBLE FIXTURE FITTING (ALL HUB)

	Part Number	Size (in)	Std PK
	LN500-020	2	25
	LN500-030	3	10
	LN500-241	2x1-1/2x1-1/2x1-1/2	20
	LN500-251	2x2x1-1/2x1-1/2	16
	LN500-257	2x1-1/2x2x2	25
	LN500-338	3x2x3x3	10


REDUCING VENT TEE (HUB x HUB x HUB)

	Part Number	Size (in)	Std PK
	LN441-337	3x3x1-1/2	35
	LN441-338	3x3x2	35


TEST TEE (HUB x HUB x CLEANOUT W/PLUG)

	Part Number	Size (in)	Std PK
	LN444X-015L	1-1/2	50
	LN444X-020L	2	50
	LN444X-030L	3	10
	LN444X-040L	4	10
	LN444X-427	4x3x4	15


COMBINATION WYE & 1/8 BEND (ONE PIECE) (HUB x HUB x HUB)

	Part Number	Size (in)	Std PK
	LN501-015	1-1/2	20
	LN501-020	2	25
	LN501-030	3	10
	LN501-040	4	6


REDUCING COMBINATION WYE & 1/8 BEND (ONE PIECE) (HUB x HUB x HUB)

	Part Number	Size (in)	Std PK
	LN502-241	2x1-1/2x1-1/2	20
	LN502-251	2x2x1-1/2	20
	LN502-257	2x1-1/2x2	24
	LN502-337	3x3x1-1/2	20
	LN502-338	3x3x2	10
	LN502-420	4x4x2	10
	LN502-422	4x4x3	5


TEST TEE (HUB x HUB x FIPT)

	Part Number	Size (in)	Std PK
	LN445-015L	1-1/2	55
	LN445-020L	2	50
	LN445-030L	3	25
	LN445-040L	4	15


COMBINATION WYE & 1/8 BEND (TWO PIECE) (HUB x HUB x HUB)

	Part Number	Size (in)	Std PK
	LN503-020	2	20


TEST TEE(HUBxHUBxFIPT)


	Part Number	Size (in)	Std PK
	LN445-427	4x3x4	20


TWO-WAY CLEANOUT (HUB x HUB x HUB)


	Part Number	Size (in)	Std PK
	LN448-030	3	10
	LN448-040	4	5


ABS DWV Fittings


45° WYE (HUB x HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN600-012	1-1/4	50
	LN600-015L	1-1/2	50
	LN600-020L	2	25
	LN600-030L	3	15
	LN600-040L	4	10
	LN600-060	6	2


CLEANOUT WYE (HUB x HUB x FIPT)			
	Part Number	Size (in)	Std PK
	LN604-015	1-1/2	50


45° REDUCING WYE (HUB x HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN601-241	2x1-1/2x1-1/2	25
	LN601-251L	2x2x1-1/2	50
	LN601-337L	3x3x1-1/2	20
	LN601-338L	3x3x2	20
	LN601-419	4x4x1-1/2	20
	LN601-420L	4x4x2	10
	LN601-422L	4x4x3	10
	LN601-530	6x6x3	5
	LN601-532	6x6x4	4


DISHWASHER ADAPTER (SP×BARB)			
	Part Number	Size (in)	Std PK
	LN610-015	1-1/2	70


DISHWASHER Y (HUB)			
	Part Number	Size (in)	Std PK
	LN601-209	1-1/2"×1-1/2"×1-1/2"	34
	LN601-210	1-1/2"×1-1/2"×3/4"	34

45° DOUBLE WYE (ALL HUB)			
	Part Number	Size (in)	Std PK
	LN611-015	1-1/2	30
	LN611-020	2	20
	LN611-030L	3	5
	LN611-040	4	5


45° STREET WYE (SPG x HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN602-015	1-1/2	125
	LN602-020	2	15
	LN602-030	3	20
	LN602-040	4	5


45° REDUCING DOUBLE WYE (ALL HUB)			
	Part Number	Size (in)	Std PK
	LN612-251	2x2x1-1/2x1-1/2	20
	LN612-337	3x3x1-1/2x1-1/2	15
	LN612-338	3x3x2x2	15
	LN612-420	4x4x2x2	10
	LN612-422	4x4x3x3	5
	LN612-532	6x6x4x4	3


45° REDUCING STREET WYE (SPG x HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN603-337	3x3x1-1/2	10
	LN603-338	3x3x2	25
	LN603-422	4x4x3	10


RETURN BEND (HUB×HUB)			
	Part Number	Size (in)	Std PK
	LN700-015	1-1/2	40
	LN700-020	2	30
	LN700-030	3	10
	LN700-040	4	10


ABS DWV Fittings


P-TRAP (HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN706X-015	1-1/2	40
	LN706X-020	2	20
	LN706X-030	3	10
	LN706X-040	4	6


P-TRAP W/UNION & C/O (HUB x HUB x C/O)			
	Part Number	Size (in)	Std PK
	LN712-015	1-1/2	35


P-TRAP W/PLUG (HUB x HUB x CLEANOUT W/PLUG)			
	Part Number	Size (in)	Std PK
	LN707X-015	1-1/2	35
	LN707X-020	2	20


CLOSET FLANGE (HUB)			
	Part Number	Size (in)	Std PK
	LN800-422L	4x3	25
	LN800-040	4x4	25


P-TRAP W/SWIVEL(HUB×HUB×CLEANOUT W/PLUG)			
	Part Number	Size (in)	Std PK
	LN707S-015	1-1/2	35

CLOSET FLANGE W/ THREADED TEST PLUG (HUB)			
	Part Number	Size (in)	Std PK
	LN800T-422CL	4x3	25
	LN800T-040C	4x4	25


P-TRAP W/UNION JOINT (HUB x HUB)			
	Part Number	Size (in)	Std PK
	LN708P-012	1-1/4	40
	LN708P-015	1-1/2	40
	LN708P-020	2	20

REDUCING CLOSET FLANGE (SPG)			
	Part Number	Size (in)	Std PK
	LN801-422	4x3	25


LA PATTERN P-TRAP W/UNION & PLASTIC NUT (HUB x SJ)			
	Part Number	Size (in)	Std PK
	LN711M-015	1-1/2	50


CLOSET FLANGE W/ADJUSTABLE PLASTIC RING (HUB)			
	Part Number	Size (in)	Std PK
	LN810P-040	4x4	25
	LN810P-422	4x3	24

ABS DWV Fittings

CLOSET FLANGE W/ADJUSTABLE METAL RING (EPOXY COATED) (H)			
	Part Number	Size (in)	Std PK
	LN811-422	4x3	24
	LN811-040	4x4	30

CLOSET FLANGE W/ADJUSTABLE PLASTIC RING (SPG)			
	Part Number	Size (in)	Std PK
	LN812P-422	4x3	25


CLOSET FLANGE, ABS-3" INSIDE FIT			
	Part Number	Size (in)	Std PK
	LN813-422	4x3	30

ADJUSTABLE OFFSET FLANGE (HUB)			
	Part Number	Size (in)	Std PK
	LN820-422	4x3	15

CLOSET FLANGE (FIPT)			
	Part Number	Size (in)	Std PK
	LN830-422	4x3	25

CLOSET FLANGE (MIPT)			
	Part Number	Size (in)	Std PK
	LN831-422	4x3	10

EXPANSION JOINT (HUB x HUB)			
	Part Number	Size (in)	Std PK
	LNH119-015	1-1/2	12
	LNH119-020	2	15
	LNH119-030	3	15
	LNH119-040	4	4

EXPANSION JOINT (HUB x SPG)			
	Part Number	Size (in)	Std PK
	LNH119S-030	3	15

FIPT: Female Iron Pipe Thread
MIPT: Male Iron Pipe Thread
Spg: Spigot
SJ: Slip Joint
W/: with

Note:
Part of items isn't listed in CSA or NSF or UPC temporarily

Valve Series

QUALITY
LESSO America's plastic fittings line is renowned worldwide for its superior quality, which complies with NSF certification, and meets the requirements of ASTM standards and CSA standards.

REFERENTIAL STANDARDS

- NSF/ANSI 61 Drinking Water System Components - Health Effects
- NSF/ANSI 14 Plastics Piping System Components and Related Materials
- ASTM D 1784 Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds
- ASTM D 2466 Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40
- CSA B137.3 Rigid Polyvinylchloride (PVC) Pipe and Fittings for Pressure Applications




COLUMN HEADER INFORMATION


Each product column header label identifies the following product particulars:
Part Number: the number used to order the part. PN ending with B represents it with a UPC barcode.
Size: nominal diameter of pipe with which the fitting is to be used.
NOTE: Fittings may be same size (only one size designation) or reducing (multiple sizes designated).
Standard Pack (Std Pk) the quantity of parts packaged in an individual box or bag.
Master Carton (Mstr Ctn) the total quantity of parts contained in individual boxes or bags which are packaged together.

METHODS OF DESIGNATING INLETS OF FITTINGS


PVC SCH40 VALVE SERIES




COMPACT BALL VALVE
W/EPDM O-RING
(SOC × SOC)
(RED HANDLE)




COMPACT BALL VALVE
W/EPDM O-RING
(FIPT × FIPT)
(RED HANDLE)




COMPACT BALL VALVE(SINGLE
HANDLE)W/EPDM O-RING
(SOC × SOC)
(BLUE SINGLE HANDLE)



COMPACT BALL VALVE (SINGLE
HANDLE)W/EPDM O-RING
(FIPT × FIPT)
(BLUE SINGLE HANDLE)



COMPACT BALL VALVE(SINGLE
HANDLE)W/EPDM O-RING
(SOC × SOC)
(BLUE SINGLE HANDLE)




COMPACT BALL VALVE (SINGLE
HANDLE)W/EPDM O-RING
(FIPT × FIPT)
(BLUE SINGLE HANDLE)

PVC SCHEDULE 40 BALL VALVE




COMPACT BALL VALVE W/EPDM O-RING
(SOC × SOC) (RED HANDLE)



Part Number	Size (in)	Std PK	Mstr Ctn
4C1101-005B	1/2	10	120
4C1101-007B	3/4	10	80
4C1101-010B	1	10	60
4C1101-012B	1-1/4	10	40
4C1101-015B	1-1/2	5	30
4C1101-020B	2	5	20

Pressure Rating 150psi @73°F(23°C)



COMPACT BALL VALVE W/EPDM O-RING
(FIPT × FIPT) (RED HANDLE)



Part Number	Size (in)	Std PK	Mstr Ctn
4C2101-005B	1/2	10	120
4C2101-007B	3/4	10	80
4C2101-010B	1	10	60
4C2101-012B	1-1/4	10	40
4C2101-015B	1-1/2	5	30
4C2101-020B	2	5	20

Pressure Rating 150psi @73°F(23°C)



COMPACT BALL VALVE (SINGLE HANDLE)W/EPDM
O-RING(SOC × SOC) (BLUE SINGLE HANDLE)



Part Number	Size (in)	Std PK	Mstr Ctn
4C1101-005BL	1/2	20	120
4C1101-007BL	3/4	10	80
4C1101-010BL	1	15	60
4C1101-012BL	1-1/4	10	40
4C1101-015BL	1-1/2	7	28
4C1101-020BL*	2	3	12

*Design available only for 2-inch model
Pressure Rating 150psi @73°F(23°C)


COMPACT BALL VALVE (SINGLE HANDLE)W/EPDM
O-RING(FIPT × FIPT) (BLUE SINGLE HANDLE)



Part Number	Size (in)	Std PK	Mstr Ctn
4C2101-005BL	1/2	20	120
4C2101-007BL	3/4	10	80
4C2101-010BL	1	15	60
4C2101-012BL	1-1/4	10	40
4C2101-015BL	1-1/2	7	28
4C2101-020BL*	2	3	12

*Design available only for 2-inch model
Pressure Rating 150psi @73°F(23°C)

AMERICAN CERTIFICATIONS



IAPMO RESEARCH AND TESTING, INC.
5001 East Philadelphia Street, Ontario, California 91761-2816 - USA • 909-472-4100 • 909-472-4244 • www.iapmort.org

CERTIFICATE OF LISTING

Product: POLY VINYL CHLORIDE (PVC) Plastic Pipe Fittings, Schedule 40

Guangdong Liansu Technology Industrial Co., Ltd
Liansu Industrial Estate
Longjiang Town, Shunde Zone
Foshan, GUANGDONG 528318
China

Effective Date: December 2019
Void After: December 2024

Identifications: Fittings shall be marked permanently and legibly with manufacturer's name or trademark, material designation (PVC I for PVC 12454-B, PVC 12 for PVC 12454-C, PVC 13 for PVC 13354-C and 11443-B, and PVC II for PVC 14333-D), size, "D2466", "B137.3" and the cUPC® certification mark.



NSF International

OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 14 - Plastic Piping System Components and Related Materials

Guangdong Liansu Technology Industrial Co., Ltd. DBA Lesso America, Inc.
Liansu Industrial Estate
Longjiang Town, Shunde Zone
Foshan, Guangdong 528318
China
86 757 2388 8337

Facility: # 2 China

Product Type	Material Type	Trade Name	Product Standard
22 1/2" Elbow (RDB x RDB)	ABS	Lesso	ASTM D2661
18324-015 (1 1/2")	18324-020 (2")	18324-030 (3")	
18324-040 (4")	18324-060 (6")		
22 1/2" Street Elbow (RDB x Spg)			
18326-015 (1 1/2")	18326-020 (2")	18326-030 (3")	
18326-040 (4")			
45° Double Wye (ALL RDB)			
18611-015 (1 1/2")	18611-020 (2")	18611-030 (3")	
18611-030L (3")	18611-040 (4")		
45° Elbow (RDB x RDB)			
18321-012 (1 1/4")	18321-015 (1 1/2")	18321-020L (2")	
18321-030L (3")	18321-040 (4")	18321-060 (6")	
45° Elbow Long-Turn (RDB x RDB)			
18321-020 (2")	18321-030 (3")		
45° Elbow-Short Turn (RDB x RDB)			
18321-015S (1 1/2")	18321-020S (2")	18321-030S (3")	
18321-040S (4")			
45° Reducing Double Wye (ALL RDB)			
18612-031 (2" x 2" x 1 1/2" x 1 1/2")			
18612-337 (3" x 3" x 1 1/2" x 1 1/2")			
18612-338 (3" x 3" x 2" x 2")			
18612-420 (4" x 4" x 2" x 2")			
18612-422 (4" x 4" x 3" x 3")			
18612-512 (4" x 4" x 4" x 4")			
45° Reducing Street Wye (Spg x RDB x RDB)			
18603-251 (2" x 2" x 1 1/2")	18603-337 (3" x 3" x 1 1/2")		
18603-338 (3" x 3" x 2")	18603-420 (4" x 4" x 2")		
18603-422 (4" x 4" x 3")			
45° Reducing Wye (RDB x RDB x RDB)			
18601-251L (2" x 2" x 1 1/2")	18601-337L (3" x 3" x 1 1/2")		

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.

IAPMO RESEARCH AND TESTING, INC.
5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org

CERTIFICATE OF LISTING

Product: PVC-DWV Fittings

Guangdong Liansu Technology Industrial Co Ltd
LIANSU INDUSTRIAL ESTATE LONGJIANG TOWN SHUNDE ZONE FOSHAN, GD 528318, CHINA

File Number: 9267
Revised Date: May 19, 2020
Effective Date: July 2019
Void After: July 2024

Products are in compliance with the following code(s):
Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada

Products are in compliance with the following standard(s):
ASTM D2466-2014 and CSA B181.3-2015 including Updates No. 1 and No. 2 dated September 2015 and Update No. 3 dated May 2017

IAPMO RESEARCH AND TESTING, INC.
5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org

CERTIFICATE OF LISTING

Product: ABS-DWV Pipe and Fittings

Guangdong Liansu Technology Industrial Co Ltd
LIANSU INDUSTRIAL ESTATE LONGJIANG TOWN SHUNDE ZONE FOSHAN, GD 528318, CHINA

File Number: 9266
Revised Date: May 19, 2020
Effective Date: July 2019
Void After: July 2024

Products are in compliance with the following code(s):
Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada

Products are in compliance with the following standard(s):
ASTM D2661-2014 and CSA B1800-2018

NSF International
789 N. Dixboro Road, Ann Arbor, MI 48105 USA

REFERENCE CERTIFICATE

Guangdong Liansu Technology Industrial Co., Ltd DBA Lesso America, Inc.
Facility: Corona, CA

COMPLIES WITH NSF/ANSI 14 AND THE FOLLOWING REFERENCE STANDARDS. PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE AUTHORIZED TO BEAR THE NSF MARK.

ASTM D2466
ASTM D2467
ASTM D2661
ASTM D2665
CSA B137.3
CSA B181.1
CSA B181.2
SE 7992
NSF/ANSI 61
Uniform Plumbing Code™

NSF U.P. Code
ANSI
NSF US

Issue Date: March 9, 2019
Certificate Valid Through: March 6, 2020
Certificate # C2014549-01R

NSF International
789 N. Dixboro Road, Ann Arbor, MI 48105 USA

REFERENCE CERTIFICATE

Guangdong Liansu Technology Industrial Co., Ltd. DBA Lesso America, Inc.
Facility: # 2 China

COMPLIES WITH NSF/ANSI 14 AND THE FOLLOWING REFERENCE STANDARDS. PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE AUTHORIZED TO BEAR THE NSF MARK.

ASTM F1970
ASTM D2466
ASTM D2467
ASTM D1681
ASTM D1685
CSA B137.3
CSA B181.1
CSA B181.2
SE 7992
NSF/ANSI 61
NSF/ANSI 61, Annex G
Uniform Plumbing Code™

NSF U.P. Code
ANSI
NSF US

Issue Date: April 21, 2020
Certificate Valid Through: April 27, 2021
Certificate # C3017393-04R



Certificate of Compliance

Certificate: 203332 Master Contract: 253541
Project: 70218498 Date Issued: 2010-04-10

Issued To: Guangzhou Uniso Technology Industrial Co. Ltd.,
Lianze Industrial Estate
Longjiang Town
Shunde Zone
Foshan City, Guangdong, 528318
China

Attention: Soren Wen

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.

Issued by: **CSA GROUP**
Grouped Certification

PRODUCTS
CLASS - C783301 - PLASTIC PIPE Drain Waste and Vent Fittings
CLASS - C783301 - PLASTIC PIPE Drain Waste and Vent Fittings - Certified to US Standards

ABS-DWV Fittings

Product Description	Model No.1	Model No.2	Model No.3
COUPLING (DR-B) (UB)	LN100-012	RLN100-012	CPRLN100-012
	LN100-015	RLN100-015	CPRLN100-015

CSA GROUP

CSA GROUP

CSA GROUP

Certificate: 203332 Master Contract: 253541
Project: 70218498 Date Issued: 2010-04-10

Product Description	Model No.1	Model No.2	Model No.3
FEMALE ADAPTER (DR-B) (FPT)	LN100-020	RLN100-020	CPRLN100-020
	LN100-030	RLN100-030	CPRLN100-030
	LN100-040	RLN100-040	CPRLN100-040
	LN100-050	RLN100-050	CPRLN100-050
	LN100-060	RLN100-060	CPRLN100-060
	LN100-070	RLN100-070	CPRLN100-070
	LN100-080	RLN100-080	CPRLN100-080
	LN100-090	RLN100-090	CPRLN100-090
PIPE INCREASER/REDUCER (HUB) (IB)	LN100-212	RLN100-212	CPRLN100-212
	LN100-225	RLN100-225	CPRLN100-225
	LN100-237	RLN100-237	CPRLN100-237
	LN100-250	RLN100-250	CPRLN100-250
	LN100-263	RLN100-263	CPRLN100-263
	LN100-275	RLN100-275	CPRLN100-275
	LN100-287	RLN100-287	CPRLN100-287
	LN100-300	RLN100-300	CPRLN100-300
TRAP ADAPTER (SP) (SA)	LN100-402	RLN100-402	CPRLN100-402
	LN100-415	RLN100-415	CPRLN100-415
	LN100-428	RLN100-428	CPRLN100-428
	LN100-440	RLN100-440	CPRLN100-440
	LN100-453	RLN100-453	CPRLN100-453
	LN100-465	RLN100-465	CPRLN100-465
	LN100-478	RLN100-478	CPRLN100-478
	LN100-490	RLN100-490	CPRLN100-490
TRAP ADAPTER W/ CHROME PLUG & WASHER (SP) (SA)	LN100-502	RLN100-502	CPRLN100-502
	LN100-515	RLN100-515	CPRLN100-515
	LN100-528	RLN100-528	CPRLN100-528
	LN100-540	RLN100-540	CPRLN100-540
	LN100-553	RLN100-553	CPRLN100-553
	LN100-565	RLN100-565	CPRLN100-565
	LN100-578	RLN100-578	CPRLN100-578
	LN100-590	RLN100-590	CPRLN100-590
TRAP ADAPTER W/ PLASTIC NUT (SP) (SA)	LN100-602	RLN100-602	CPRLN100-602
	LN100-615	RLN100-615	CPRLN100-615
	LN100-628	RLN100-628	CPRLN100-628
	LN100-640	RLN100-640	CPRLN100-640
	LN100-653	RLN100-653	CPRLN100-653
	LN100-665	RLN100-665	CPRLN100-665
	LN100-678	RLN100-678	CPRLN100-678
	LN100-690	RLN100-690	CPRLN100-690
TRAP ADAPTER W/ PLASTIC NUT & WASHER (SP) (SA)	LN100-702	RLN100-702	CPRLN100-702
	LN100-715	RLN100-715	CPRLN100-715
	LN100-728	RLN100-728	CPRLN100-728
	LN100-740	RLN100-740	CPRLN100-740
	LN100-753	RLN100-753	CPRLN100-753
	LN100-765	RLN100-765	CPRLN100-765
	LN100-778	RLN100-778	CPRLN100-778
	LN100-790	RLN100-790	CPRLN100-790

CSA GROUP

CSA GROUP

CSA GROUP

Certificate: 203332 Master Contract: 253541
Project: 70218498 Date Issued: 2010-04-10

Product Description	Model No.1	Model No.2	Model No.3
TRAP ADAPTER (DR-B) (SA)	LN100-802	RLN100-802	CPRLN100-802
	LN100-815	RLN100-815	CPRLN100-815
	LN100-828	RLN100-828	CPRLN100-828
	LN100-840	RLN100-840	CPRLN100-840
	LN100-853	RLN100-853	CPRLN100-853
	LN100-865	RLN100-865	CPRLN100-865
	LN100-878	RLN100-878	CPRLN100-878
	LN100-890	RLN100-890	CPRLN100-890
TRAP ADAPTER W/ PLASTIC NUT (DR-B) (SA)	LN100-902	RLN100-902	CPRLN100-902
	LN100-915	RLN100-915	CPRLN100-915
	LN100-928	RLN100-928	CPRLN100-928
	LN100-940	RLN100-940	CPRLN100-940
	LN100-953	RLN100-953	CPRLN100-953
	LN100-965	RLN100-965	CPRLN100-965
	LN100-978	RLN100-978	CPRLN100-978
	LN100-990	RLN100-990	CPRLN100-990
TRAP ADAPTER W/ PLASTIC NUT & WASHER (DR-B) (SA)	LN100-1002	RLN100-1002	CPRLN100-1002
	LN100-1015	RLN100-1015	CPRLN100-1015
	LN100-1028	RLN100-1028	CPRLN100-1028
	LN100-1040	RLN100-1040	CPRLN100-1040
	LN100-1053	RLN100-1053	CPRLN100-1053
	LN100-1065	RLN100-1065	CPRLN100-1065
	LN100-1078	RLN100-1078	CPRLN100-1078
	LN100-1090	RLN100-1090	CPRLN100-1090
CLEANOUT ADAPTER (SP) (FPT)	LN100-1102	RLN100-1102	CPRLN100-1102
	LN100-1115	RLN100-1115	CPRLN100-1115
	LN100-1128	RLN100-1128	CPRLN100-1128
	LN100-1140	RLN100-1140	CPRLN100-1140
	LN100-1153	RLN100-1153	CPRLN100-1153
	LN100-1165	RLN100-1165	CPRLN100-1165
	LN100-1178	RLN100-1178	CPRLN100-1178
	LN100-1190	RLN100-1190	CPRLN100-1190
CLEANOUT ADAPTER W/ PLUG (SP) (FPT)	LN100-1202	RLN100-1202	CPRLN100-1202
	LN100-1215	RLN100-1215	CPRLN100-1215
	LN100-1228	RLN100-1228	CPRLN100-1228
	LN100-1240	RLN100-1240	CPRLN100-1240
	LN100-1253	RLN100-1253	CPRLN100-1253
	LN100-1265	RLN100-1265	CPRLN100-1265
	LN100-1278	RLN100-1278	CPRLN100-1278
	LN100-1290	RLN100-1290	CPRLN100-1290
CLEANOUT PLUG (FPT)	LN100-1302	RLN100-1302	CPRLN100-1302
	LN100-1315	RLN100-1315	CPRLN100-1315
	LN100-1328	RLN100-1328	CPRLN100-1328
	LN100-1340	RLN100-1340	CPRLN100-1340
	LN100-1353	RLN100-1353	CPRLN100-1353
	LN100-1365	RLN100-1365	CPRLN100-1365
	LN100-1378	RLN100-1378	CPRLN100-1378
	LN100-1390	RLN100-1390	CPRLN100-1390

CSA GROUP

CSA GROUP

CSA GROUP

Certificate: 203332 Master Contract: 253541
Project: 70218498 Date Issued: 2010-04-10

Product Description	Model No.1	Model No.2	Model No.3
PLUG WITH GASKET (FPT)	LN100-1402	RLN100-1402	CPRLN100-1402
	LN100-1415	RLN100-1415	CPRLN100-1415
	LN100-1428	RLN100-1428	CPRLN100-1428
	LN100-1440	RLN100-1440	CPRLN100-1440
	LN100-1453	RLN100-1453	CPRLN100-1453
	LN100-1465	RLN100-1465	CPRLN100-1465
	LN100-1478	RLN100-1478	CPRLN100-1478
	LN100-1490	RLN100-1490	CPRLN100-1490
FLUSH BURNING (SP) (FPT)	LN100-1502	RLN100-1502	CPRLN100-1502
	LN100-1515	RLN100-1515	CPRLN100-1515
	LN100-1528	RLN100-1528	CPRLN100-1528
	LN100-1540	RLN100-1540	CPRLN100-1540
	LN100-1553	RLN100-1553	CPRLN100-1553
	LN100-1565	RLN100-1565	CPRLN100-1565
	LN100-1578	RLN100-1578	CPRLN100-1578
	LN100-1590	RLN100-1590	CPRLN100-1590
FLUSH ADAPTER (SP) (FPT)	LN100-1602	RLN100-1602	CPRLN100-1602
	LN100-1615	RLN100-1615	CPRLN100-1615
	LN100-1628	RLN100-1628	CPRLN100-1628
	LN100-1640	RLN100-1640	CPRLN100-1640
	LN100-1653	RLN100-1653	CPRLN100-1653
	LN100-1665	RLN100-1665	CPRLN100-1665
	LN100-1678	RLN100-1678	CPRLN100-1678
	LN100-1690	RLN100-1690	CPRLN100-1690
MALE ADAPTER (DR-B) (FPT)	LN100-1702	RLN100-1702	CPRLN100-1702
	LN100-1715	RLN100-1715	CPRLN100-1715
	LN100-1728	RLN100-1728	CPRLN100-1728
	LN100-1740	RLN100-1740	CPRLN100-1740
	LN100-1753	RLN100-1753	CPRLN100-1753
	LN100-1765	RLN100-1765	CPRLN100-1765
	LN100-1778	RLN100-1778	CPRLN100-1778
	LN100-1790	RLN100-1790	CPRLN100-1790

CSA GROUP

CSA GROUP

CSA GROUP

Limited Warranty

Except as otherwise mandated by law, LESSO America warrants to Buyer only that the Products directly manufactured by LESSO America will be free from defects in material and workmanship for a period of three years from the date of installation. Buyer agrees that this warranty shall be effective so long as the Products are used solely for the normal purposes for which they are intended and in conformity with industry established engineering, installation, operating, and maintenance specifications, recommendations and instructions. Violation thereof shall void this warranty and relieve LESSO America from any obligation under this warranty.

LESSO America may modify at any time design of products or materials used therein or discontinue their manufacture without any liability.

LESSO America shall not assume responsibility, and expressly disclaims any liability, due to Buyer's, any installer's or end user's failure to comply with such specifications, recommendations and instructions, including, but not limited to, damage due to improper control of system hydraulics, improper winterization procedures, improper voltage supply, contact with incompatible materials or chemicals, excavation/digging, excessive weight, temperature shocking, U.V. degradation, vibration and vandalism. LESSO America shall not be liable for damages due to any acts of nature including, but not limited to, lightning, earthquakes, ground movement, frost heave, floods, or any other event of force majeure.

Buyer shall notify LESSO America of any alleged defects within 48 hours of discovery of any alleged defect and within three years' warranty period. LESSO America is not liable for any warranty claim if such notice is not provided. After the examination of the returned products, if the goods are determined to be defective in materials or workmanship directly provided by LESSO America, LESSO America will, at its sole option, may either repair or replace the defective Products, or reimburse Buyer for the cost of such Products. This shall be Buyer's only remedy. All costs of shipping such questionable Products and any replacements thereof to and from LESSO America's facility shall be borne by Buyer.

THIS LIMITED WARRANTY REPLACES ALL OTHER ORAL OR WRITTEN WARRANTIES, LIABILITIES OR OBLIGATIONS OF LESSO America . THIS WARRANTY MAY NOT BE EXTENDED, ALTERED OR OTHERWISE MODIFIED EXCEPT BY WRITTEN AGREEMENT SIGNED BY COMPANY. BY ITS ACCEPTANCE OF THE PRODUCTS, CUSTOMER HEREBY SPECIFICALLY AND EXPRESSLY WAIVES ALL OTHER LIABILITY OR OBLIGATION OF ANY KIND OR CHARACTER OF COMPANY, INCLUDING WITHOUT LIMITATION LIABILITY PREDICATED UPON STRICT LIABILITY OR TORT, AND ALL DAMAGES AND LOSSES AS A RESULT THEREOF, INCLUDING BUT NOT LIMITED TO ALL KNOWN, UNKNOWN, FORESEEABLE, UNFORESEEABLE, ABSOLUTE, CONTINGENT, LIQUIDATED, NON-LIQUIDATED, COMPENSATORY, GENERAL, SPECIAL, CONSEQUENTIAL, INCIDENTAL, OR PUNITIVE DAMAGES, AND WITH RESPECT TO THE PRODUCTS, THEIR RETURN, REPAIR, RESTORATION AND REPLACEMENT.

Buyer agrees that LESSO America will not be responsible for other parts or labor in connection with repairing, replacing, or returning such Products while Products are in possession of LESSO America for analysis, nor for any delays beyond LESSO America's reasonable control (including, with limitation, delays due to unavailability of materials, equipment, other supplies or labor, strikes, governmental regulation etc.), provided that any delay shall toll the warranty period for the same amount of time as the delay itself. In no event shall LESSO America be liable for consequential or incidental damages of any kind, including any damage to any property, building, its contents or any person therein, resulting from the breach of this warranty.

Terms and Conditions of Sale

1. General selling terms are 2% 30 net 45 days and free on board (FOB) Lesso America Warehouses.
2. Free freight allowance (FFA) will be provided on any order of \$2500.00 or more for one shipment to a single destination within the contiguous United States.
3. Minimum order is \$150.00.
4. Returns will be accepted on purchases within 6 months only and must have prior authorization. They will be subject to a minimum of 20% restock fee. Customer is responsible for all shipping costs for the return. Returned items must be in full box and resaleable condition.
5. Any damages or shorted items need to be reported in writing within 15 days after product has been received.
6. Any cancellation for direct shipment must be notified in writing within 2 business days of receipt of purchase order with no fees incurred. If the cancellation is received after 2 business days, the customer shall be responsible for all related freight costs, insurance, customs duties, etc.
7. All pricing and terms are subject to change without prior notice.
8. Revisions or cancellations to all orders must be made within 24 hours after receiving confirmation. (Cancellations after 24 hours may be subject to a restock fee)
9. Will-call orders must be picked up within 72 hours of notification that the order is ready. Any orders not picked up after 72 hours will be returned to stock and subject to a 20% restock fee.
10. Any will-call purchase orders that have back order(s) will need to be confirmed before processing.