



OFFICIAL LISTING

NSF Certifies that the products appearing on this Listing conform to the requirements of
NSF/ANSI/CAN 372 - Drinking Water System Components - Lead Content

This is the Official Listing recorded on April 14, 2026.

Guangdong Liansu Technology Industrial Co., Ltd. DBA Lesso America, Inc.
Liansu Industrial Estate
Longjiang Town, Shunde Zone
Foshan, Guangdong 528318
China
86 757 2388 8337

Facility: # 2 China

Ball Valves [LL]

- 1" Compact Ball Valve w/EPDM O-ring Seal(FIPT × FIPT)
- 1" Compact Ball Valve w/EPDM O-ring Seal(SOC × SOC)
- 1" Compact Ball Valve w/FKM O-ring Seal(FIPT × FIPT)
- 1" Compact Ball Valve w/FKM O-ring Seal(SOC × SOC)
- 1-1/2" Compact Ball Valve w/EPDM O-ring Seal(FIPT × FIPT)
- 1-1/2" Compact Ball Valve w/EPDM O-ring Seal(SOC × SOC)
- 1-1/2" Compact Ball Valve w/FKM O-ring Seal(FIPT × FIPT)
- 1-1/2" Compact Ball Valve w/FKM O-ring Seal(SOC × SOC)
- 1-1/4" Compact Ball Valve w/EPDM O-ring Seal(FIPT × FIPT)
- 1-1/4" Compact Ball Valve w/EPDM O-ring Seal(SOC × SOC)
- 1-1/4" Compact Ball Valve w/FKM O-ring Seal(FIPT × FIPT)
- 1-1/4" Compact Ball Valve w/FKM O-ring Seal(SOC × SOC)
- 1/2" Compact Ball Valve w/EPDM O-ring Seal(FIPT × FIPT)
- 1/2" Compact Ball Valve w/EPDM O-ring Seal(SOC × SOC)
- 1/2" Compact Ball Valve w/FKM O-ring Seal(FIPT × FIPT)
- 1/2" Compact Ball Valve w/FKM O-ring Seal(SOC × SOC)
- 2" Compact Ball Valve w/EPDM O-ring Seal(FIPT × FIPT)
- 2" Compact Ball Valve w/EPDM O-ring Seal(SOC × SOC)
- 2" Compact Ball Valve w/FKM O-ring Seal(FIPT × FIPT)
- 2" Compact Ball Valve w/FKM O-ring Seal(SOC × SOC)
- 3/4" Compact Ball Valve w/EPDM O-ring Seal(FIPT × FIPT)
- 3/4" Compact Ball Valve w/EPDM O-ring Seal(SOC × SOC)
- 3/4" Compact Ball Valve w/FKM O-ring Seal(FIPT × FIPT)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



3/4" Compact Ball Valve w/FKM O-ring Seal(SOC x SOC)

Pipe

Lesso PVC SCH40 Pipe 1/8" - 24" [1]

Lesso PVC SCH80 Pipe 1/8" - 24" [2]

SNOW PVC SCH40 Pipe 1/8"-24" [1]

SNOW PVC SCH80 Pipe 1/8"-24" [2]

Pipe [LL]

1 1/4" - 12" SDR 32.5 IPS

1" - 12" SDR 26 IPS

1" - 4" SDR 17 IPS

1/2" - 6" SDR 13.5 IPS

3" - 12" SDR 41 IPS

3/4" - 12" SDR 21 IPS

Lesso PVC SDR pipe [3]

[1] Certification includes the following:

1/2" - 8" Sch40 PVC pipe

031-005 1/2"

031-007 3/4"

031-010 1"

031-012 1-1/4"

031-015 1-1/2"

031-020 2"

031-025 2-1/2"

031-030 3"

031-035 3-1/2"

031-040 4"

031-050 5"

031-060 6"

031-080 8"

041-007 3/4"

041-010 1"

041-012 1-1/4"

041-015 1-1/2"

041-020 2"

041-025 2-1/2"

041-030 3"

041-035 3-1/2"

041-040 4"

041-050 5"

041-080 6"

041-060 8"

031-001 1/8

031-002 1/4

031-003 3/8

031-100 10"

031-120 12"

031-140 14"

031-160 16"

031-180 18"

031-200 20"

031-240 24"

041-001 1/8

041-002 1/4

041-003 3/8

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



041-005 1/2
041-100 10"
041-120 12"
041-140 14"
041-160 16"
041-180 18"
041-200 20"
041-240 24"

[2] Certification includes the following:

1/2"-8" Sch80 PVC Pipe

071-025 2-1/2
071-030 3
071-040 4
071-060 6
071-005 1/2
071-007 3/4
071-020 2
071-010 1
071-012 1-1/4
071-015 1-1/2
081-025 2-1/2
081-030 3
081-040 4
081-060 6
081-005 1/2
081-007 3/4
081-020 2
081-010 1
081-012 1-1/4
081-015 1-1/2
071-001 1/8
071-002 1/4
071-003 3/8
071-035 3-1/2
071-050 5"
071-080 8"
071-100 10"
071-120 12"
071-140 14"
071-160 16"
071-180 18"
071-200 20"
071-240 24"
081-001 1/8
081-002 1/4
081-003 3/8
081-035 3-1/2
081-050 5"
081-080 8"
081-100 10"
081-120 12"
081-140 14"
081-160 16"
081-180 18"
081-200 20"
081-240 24"

[3] Certification includes the following:

SDR 41 IPS PVC pipe:

LDR002-030 3"
LDR002-035 3 1/2"
LDR002-040 4"
LDR002-050 5"
LDR002-060 6"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



LDR002-080 8"
LDR002 100 10"
LDR002 120 12"
LDR012-030 3"
LDR012-040 4"
LDR012-050 5"
LDR012-060 6"
LDR012-080 8"
LDR012 100 10"
LDR012 120 12"

SDR 32.5 IPS PVC pipe:

LDR013-012 1 1/4"
LDR013-015 1 1/2"
LDR013-020 2"
LDR013-025 2 1/2"
LDR013-030 3"
LDR013-035 3 1/2"
LDR013-040 4"
LDR013-050 5"
LDR013-060 6"
LDR013-080 8"
LDR013-100 10"
LDR013-120 12"
LDR003-012 1 1/4"
LDR003-015 1 1/2"
LDR003-020 2"
LDR003-025 2 1/2"
LDR003-030 3"
LDR003-035 3 1/2"
LDR003-040 4"
LDR003-050 5"
LDR003-060 6"
LDR003-080 8"
LDR003-100 10"
LDR003-120 12"

SDR 26 IPS PVC pipe:

LDR015-010 1"
LDR015-012 1 1/4"
LDR015-015 1 1/2"
LDR015-020 2"
LDR015-025 2 1/2"
LDR015-030 3"
LDR015-035 3 1/2"
LDR015-040 4"
LDR015-050 5"
LDR015-060 6"
LDR015-080 8"
LDR015-100 10"
LDR015-120 12"
LDR005-010 1"
LDR005-012 1 1/4"
LDR015-015 1 1/2"
LDR015-020 2"
LDR015-025 2 1/2"
LDR015-030 3"
LDR015-035 3 1/2"
LDR015-040 4"
LDR015-050 5"
LDR015-060 6"
LDR015-080 8"
LDR015-100 10"
LDR015-120 12"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



SDR 21 IPS PVC pipe:

LDR016-007 3/4"
LDR016-010 1"
LDR016-012 1 1/4"
LDR016-015 1 1/2"
LDR016-020 2"
LDR016-025 2 1/2"
LDR016-030 3"
LDR016-035 3 1/2"
LDR016-040 4"
LDR016-050 5"
LDR016-060 6"
LDR016-080 8"
LDR016-100 10"
LDR016-120 12"
LDR006-007 3/4"
LDR006-010 1"
LDR006-012 1 1/4"
LDR006--015 1 1/2"
LDR006-020 2"
LDR006-025 2 1/2"
LDR006-030 3
LDR006-035 3 1/2"
LDR006-040 4
LDR006-050 5
LDR006-060 6
LDR006-080 8"
LDR006-100 10"
LDR006-120 12"

SDR 17 IPS PVC pipe:

LDR007-010 1"
LDR007-012 1 1/4"
LDR007-015 1 1/2"
LDR007-020 2"
LDR007-030 3"
LDR007-040 4"
LDR017-010 1"
LDR017-012 1 1/4"
LDR017-015 1 1/2"
LDR017-020 2"
LDR017-030 3"
LDR017-040 4"

SDR 13.5 IPS PVC pipe:

LDR018-005 1/2"
LDR018-007 3/4"
LDR018-010 1"
LDR018-012 1 1/4"
LDR018-015 1 1/2"
LDR018-020 2"
LDR018-025 2 1/2"
LDR018-030 3"
LDR018-040 4"
LDR018-050 5"
LDR018-060 6"
LDR008-005 1/2"
LDR008-007 3/4"
LDR008-010 1"
LDR008-012 1 1/4"
LDR008-015 1 1/2"
LDR008-020 2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



LDR008-025 2 1/2"
LDR008-030 3"
LDR008-040 4"
LDR008-050 5"
LDR008-060 6"

[LL] Product conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility: Guangdong, China

Fittings [LL]

LESSO PPR Fittings [1]
LESSO PPR Fittings [2]

Pipe [LL]

LESSO PPR Pipe
Lesso PE DIPS DR 11 Pipe [3]
Lesso PE IPS DR 11 Pipe [4]

[1] Configurations include:

Female Elbow 90° A1
PP-R-2101 (20 mm x 1/2")
PP-R-2102 (20 mm x 3/4")
PP-R-2103 (25 mm x 1/2")
PP-R-2104 (25 mm x 3/4")
PP-R-2106 (32 mm x 1/2")
PP-R-2107 (32 mm x 3/4")

Female Elbow 90° A2
PP-R-2208 (32 mm x 1")

Female Elbow 90° with Seat
PP-R-2601 (20 mm x 1/2")
PP-R-2602 (20 mm x 3/4")
PP-R-2603 (25 mm x 1/2")
PP-R-2604 (25 mm x 3/4")

Female Straight A1
PP-R-1701 (20 mm x 1/2")
PP-R-1702 (20 mm x 3/4")
PP-R-1703 (25 mm x 1/2")
PP-R-1704 (25 mm x 3/4")
PP-R-1706 (32 mm x 1/2")
PP-R-1707 (32 mm x 3/4")

Female Straight A2
PP-R-1808 (32 mm x 1")
PP-R-1809 (40 mm x 1")
PP-R-1810 (40 mm x 1-1/4")
PP-R-1812 (50 mm x 1-1/4")
PP-R-1813 (50 mm x 1-1/2")
PP-R-1814 (63 mm x 2")

Female Tee A1
PP-R-2701 (20 mm x 1/2")

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



PP-R-2702 (20 mm x 3/4")
PP-R-2703 (25 mm x 1/2")
PP-R-2704 (25 mm x 3/4")
PP-R-2706 (32 mm x 1/2")
PP-R-2707 (32 mm x 3/4")

Female Tee A2

PP-R-2808 (32 mm x 1")

Female Union

PP-R-3201 (20 mm x 1/2")
PP-R-3204 (25 mm x 3/4")
PP-R-3205 (25 mm x 1")
PP-R-3207 (32 mm x 3/4")
PP-R-3208 (32 mm x 1")
PP-R-3210 (40 mm x 1-1/4")
PP-R-3213 (50 mm x 1-1/2")
PP-R-3214 (63 mm x 2")

Male Elbow 90° A1

PP-R-2301 (20 mm x 1/2")
PP-R-2302 (20 mm x 3/4")
PP-R-2303 (25 mm x 1/2")
PP-R-2304 (25 mm x 3/4")
PP-R-2306 (32 mm x 1/2")
PP-R-2307 (32 mm x 3/4")

Male Elbow 90° A2

PP-R-2408 (32 mm x 1")

Male Straight A1

PP-R-1901 (20 mm x 1/2")
PP-R-1902 (20 mm x 3/4")
PP-R-1903 (25 mm x 1/2")
PP-R-1904 (25 mm x 3/4")
PP-R-1906 (32 mm x 1/2")
PP-R-1907 (32 mm x 3/4")
PP-R-1909 (40 mm x 1")

Male Straight A2

PP-R-2008 (32 mm x 1")
PP-R-2010 (40 mm x 1-1/4")
PP-R-2012 (50 mm x 1-1/4")
PP-R-2013 (50 mm x 1-1/2")
PP-R-2014 (63 mm x 2")

Male Tee A1

PP-R-2901 (20 mm x 1/2")
PP-R-2902 (20 mm x 3/4")
PP-R-2903 (25 mm x 1/2")
PP-R-2904 (25 mm x 3/4")
PP-R-2906 (32 mm x 1/2")
PP-R-2907 (32 mm x 3/4")

Male Tee A2

PP-R-3008 (32 mm x 1")

Male Union

PP-R-3101 (20 mm x 1/2")
PP-R-3104 (25 mm x 3/4")
PP-R-3105 (25 mm x 1")
PP-R-3107 (32 mm x 3/4")
PP-R-3108 (32 mm x 1")
PP-R-3110 (40 mm x 1-1/4")

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



PP-R-3113 (50 mm x 1-1/2")
PP-R-3114 (63 mm x 2")

[2] Configurations include:

45° Elbow

PP-R-1301 (16mm)
PP-R-1302 (20mm)
PP-R-1303 (25mm) PP-R-1304 (32mm)
PP-R-1305 (40mm)
PP-R-1306 (50mm)
PP-R-1307 (63mm)
PP-R-1308 (75mm)
PP-R-1309 (90mm)
PP-R-1310 (110mm)
PP-R-1313 (160mm)

90° Elbow

PP-R-1001 (16mm)
PP-R-1002 (20mm)
PP-R-1003 (25mm)
PP-R-1004 (32mm)
PP-R-1005 (40mm)
PP-R-1006 (50mm)
PP-R-1007 (63mm)
PP-R-1008 (75mm)
PP-R-1009 (90mm)
PP-R-1010 (110mm)
PP-R-1013 (160mm)

Cap

PP-R-1501 (16mm)
PP-R-1502 (20mm)
PP-R-1503 (25mm)
PP-R-1504 (32mm)
PP-R-1505 (40mm)
PP-R-1506 (50mm)
PP-R-1507 (63mm)
PP-R-1508 (75mm)
PP-R-1509 (90mm)
PP-R-1510 (110mm)
PP-R-1513 (160mm)

Coupler

PP-R-0901 (16mm)
PP-R-0902 (20mm)
PP-R-0903 (25mm)
PP-R-0904 (32mm)
PP-R-0905 (40mm)
PP-R-0906 (50mm)
PP-R-0907 (63mm)
PP-R-0908 (75mm)
PP-R-0909 (90mm)
PP-R-0910 (110mm)
PP-R-0913 (160mm)

Reducer

PP-R-1401 (20×16mm)
PP-R-1402 (25×16mm)
PP-R-1403 (25×20mm)
PP-R-1404 (32×16mm)
PP-R-1405 (32×20mm)
PP-R-1406 (32×25mm)
PP-R-1407 (40×20mm)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



PP-R-1408 (40×25mm)
PP-R-1409 (40×32mm)
PP-R-1410 (50×20mm)
PP-R-1411 (50×25mm)
PP-R-1412 (50×32mm)
PP-R-1413 (50×40mm)
PP-R-1414 (63×25mm)
PP-R-1415 (63×32mm)
PP-R-1416 (63×40mm)
PP-R-1417 (63×50mm)
PP-R-1418 (75×32mm)
PP-R-1419 (75×40mm)
PP-R-1420 (75×50mm)
PP-R-1421 (75×63mm)
PP-R-1422 (90×40mm)
PP-R-1424 (90×63mm)
PP-R-1425 (90×75mm)
PP-R-1426 (110×50mm)
PP-R-1427 (110×63mm)
PP-R-1428 (110×75mm)
PP-R-1429 (110×90mm)
PP-R-1430 (160×110mm)
PP-R-1431 (160×90mm)

Reducing Tee

PP-R-1201 (20×16mm)
PP-R-1202 (20×25mm)
PP-R-1203 (25×16mm)
PP-R-1204 (25×25×20mm)
PP-R-1205 (25×20×20mm)
PP-R-1206 (32×16mm)
PP-R-1207 (32×20mm)
PP-R-1208 (32×25mm)
PP-R-1209 (40×20mm)
PP-R-1210 (40×25mm)
PP-R-1211 (40×32mm)
PP-R-1212 (50×20mm)
PP-R-1213 (50×25mm)
PP-R-1231 (110×90mm)
PP-R-1232 (160×110mm)
PP-R-1233 (160×90mm)
PP-R-1214 (50×32mm)
PP-R-1215 (50×40mm)
PP-R-1216 (63×25mm)
PP-R-1217 (63×26mm)
PP-R-1218 (63×40mm)
PP-R-1219 (63×50mm)
PP-R-1220 (75×32mm)
PP-R-1221 (75×40mm)
PP-R-1222 (75×50mm)
PP-R-1223 (75×63mm)
PP-R-1224 (90×40mm)
PP-R-1225 (90×50mm)
PP-R-1226 (90×63mm)
PP-R-1227 (90×75mm)
PP-R-1228 (110×50mm)
PP-R-1229 (110×63mm)
PP-R-1230 (110×75mm)

Tee

PP-R-1101 (16mm)
PP-R-1102 (20mm)
PP-R-1103 (25mm)
PP-R-1104 (32mm)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



PP-R-1105 (40mm)
PP-R-1106 (50mm)
PP-R-1107 (63mm)
PP-R-1108 (75mm)
PP-R-1109 (90mm)
PP-R-1110 (110mm)
PP-R-1113 (160mm)

[3] Certification includes the following:

LE011-030 3"
LE011-040 4"
LE011-060 6"
LE011-080 8"
LE011-100 10"
LE011-120 12"
LE011-180 18"

[4] Certification includes the following:

4"-65" IPS DR11 PE pipe

LE011-040 4"
LE011-050 5"
LE011-060 6"
LE011-070 7"
LE011-080 8"
LE011-100 10"
LE011-120 12"
LE011-140 14"
LE011-160 16"
LE011-180 18"
LE011-200 20"
LE011-220 22"
LE011-240 24"
LE011-260 26"
LE011-280 28"
LE011-300 30"
LE011-320 32"
LE011-340 34"
LE011-360 36"
LE011-420 42"
LE011-480 48"
LE011-540 54"
LE011-600 60"
LE011-630 63"
LE011-650 65"

[LL] Product conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.